

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BAKRYLEX UNIVERZÁL LESK

Creation date	22nd January 2019	Version	5.1
Revision date	18th April 2023		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
Substance / mixture  
Other mixture names  
PAINT FOR METAL, WOOD AND WALLS  
BAKRYLEX UNIVERZÁL LESK  
mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Water-based paint for metal, wood and walls.  
**Main intended use**  
PC-PNT-2                      Paints/coatings - Decorative  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name                      BARVY A LAKY TELURIA, s.r.o.  
Address                                      č.p. 1, Skrchov, 679 61  
   Czech Republic  
Identification number (CRN)              43420371  
VAT Reg No                                  CZ43420371  
Phone    +420 516 474 211  
E-mail    info@teluria.cz  
Web address                                  http://www.bal.cz  
**Competent person responsible for the safety data sheet**  
Name    Ing. Markéta Chalupová, Ph.D.  
E-mail    marketa.chalupova@teluria.cz
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.  
Full text of all classifications and hazard statements is given in the section 16.

### 2.2. Label elements

#### Supplemental information

EUH208

Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BAKRYLEX UNIVERZÁL LESK

Creation date	22nd January 2019	Version	5.1
Revision date	18th April 2023		

Density	1,24 g/cm <sup>3</sup> při 20 °C
VOC limit value	cat. A (d) WB: 130 g/l
Max. VOC content in the product in its ready to use condition	66 g/l

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 607-038-00-2 CAS: 112-07-2 EC: 203-933-3 Registration number: 01-2119475112-47	2-butoxyethyl acetate	<2,3	Acute Tox. 4, H312, H332	2
Index: 613-167-00-5 CAS: 55965-84-9	reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2 -methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)	<0,002	Acute Tox. 3, H301, H311, H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Specific concentration limit: Eye Irrit. 2, H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1, H317: C ≥ 0.0015 % Skin Irrit. 2, H315: 0.06 % ≤ C < 0.6 % Skin Corr. 1B, H314: C ≥ 0.6 %	1

#### Notes

- Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**SAFETY DATA SHEET**

according to Commission Regulation (EU) 2020/878 as amended

**BAKRYLEX UNIVERZÁL LESK**

Creation date	22nd January 2019	Version	5.1
Revision date	18th April 2023		

**If inhaled**

Terminate the exposure immediately; move the affected person to fresh air.

**If on skin**

Remove contaminated clothes.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

**If swallowed**

Rinse out the mouth with clean water. In the event of issues, find medical help.

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

Not expected.

**If on skin**

May cause an allergic skin reaction.

**If in eyes**

Not expected.

**If swallowed**

Not expected.

**4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Accommodate extinguishing components to the location of fire.

**Unsuitable extinguishing media**

not available

**5.2. Special hazards arising from the substance or mixture**

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

**5.3. Advice for firefighters**

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Follow the instructions in the Sections 7 and 8.

**6.2. Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.

**6.3. Methods and material for containment and cleaning up**

After removal of the product, wash the contaminated site with plenty of water.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BAKRYLEX UNIVERZÁL LESK

Creation date	22nd January 2019	Version	5.1
Revision date	18th April 2023		

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect against frost. Do not store together with food, drink and animal feed. Keep out of reach of children.

Storage temperature min 5 °C, max 40 °C

#### 7.3. Specific end use(s)

Water-based paint for metal, wood and walls.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### European Union

#### Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
2-butoxyethyl acetate (CAS: 112-07-2)	OEL 8 hours	133 mg/m <sup>3</sup>	Skin
	OEL 8 hours	20 ppm	
	OEL 15 minutes	333 mg/m <sup>3</sup>	
	OEL 15 minutes	50 ppm	

#### DNEL

2-butoxyethyl acetate

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	133 mg/m <sup>3</sup>	Chronic effects systemic		
Workers	Inhalation	775 mg/m <sup>3</sup>	Acute effects systemic		
Workers	Inhalation	333 mg/m <sup>3</sup>	Acute effects local		
Workers	Dermal	102 mg/kg	Chronic effects systemic		
Workers	Dermal	102 mg/kg	Acute effects systemic		
Consumers	Inhalation	67 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Inhalation	499 mg/m <sup>3</sup>	Acute effects systemic		
Consumers	Inhalation	166 mg/m <sup>3</sup>	Acute effects local		
Consumers	Dermal	36 mg/kg	Chronic effects systemic		
Consumers	Dermal	27 mg/kg	Acute effects systemic		
Consumers	Oral	4.3 mg/kg	Chronic effects systemic		
Consumers	Oral	18 mg/kg	Acute effects systemic		

#### PNEC

2-butoxyethyl acetate

Route of exposure	Value	Value determination	Source
Freshwater environment	0.304 mg/l		

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BAKRYLEX UNIVERZÁL LESK

Creation date 22nd January 2019  
Revision date 18th April 2023 Version 5.1

2-butoxyethyl acetate

Route of exposure	Value	Value determination	Source
Marine water	0.0304 mg/l		
Freshwater sediment	2.03 mg/kg of dry substance of sediment		
Sea sediments	0.203 mg/kg of dry substance of sediment		
Soil (agricultural)	0.68 mg/kg of dry substance of soil		

### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

It is not needed.

#### Skin protection

When handling in long-term or repeatedly, use protective gloves.

#### Respiratory protection

It is not needed. When aerosol formation aerosol respirator.

#### Thermal hazard

Not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	according to the shade
Odour	without fragrance
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	100 °C
Flammability	non-flammable
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	7-8 (undiluted)
Kinematic viscosity	data not available
Solubility in water	miscible
Solubility in fats	insoluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1,24 g/cm <sup>3</sup> at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BAKRYLEX UNIVERZÁL LESK

Creation date	22nd January 2019	Version	5.1
Revision date	18th April 2023		

Form	liquid, thixotropic
<b>9.2. Other information</b>	
Oxidising properties	The product has no oxidizing properties.
Explosive properties	The product does not have explosive properties.
VOC limit value	cat. A (d) WB: 130 g/l
Max. VOC content in the product in its ready to use condition	66 g/l

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

##### Acute toxicity

Based on available data the classification criteria are not met.

2-butoxyethyl acetate

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	300-2000 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD <sub>50</sub>	1000-2000 mg/kg		Rabbit	

##### Skin corrosion/irritation

Based on available data the classification criteria are not met.

##### Serious eye damage/irritation

Based on available data the classification criteria are not met.

##### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

##### Germ cell mutagenicity

Based on available data the classification criteria are not met.

##### Carcinogenicity

Based on available data the classification criteria are not met.

##### Reproductive toxicity

Based on available data the classification criteria are not met.

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BAKRYLEX UNIVERZÁL LESK

Creation date 22nd January 2019  
Revision date 18th April 2023 Version 5.1

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

not available

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

The ecotoxicity of the mixture has not been tested

2-butoxyethyl acetate

Parameter	Value	Exposure time	Species	Environment
LC <sub>50</sub>	>10-100 mg/l	48 hours	Fish (Leuciscus idus)	
EC <sub>50</sub>	>100 mg/l	24 hours	Daphnia (Daphnia magna)	
EC <sub>50</sub>	>100 mg/kg	72 hours	Algae (Scenedesmus subspicatus)	

### 12.2. Persistence and degradability

#### Biodegradability

2-butoxyethyl acetate

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301C	70 %	28 days	Activated sludge	Easily biodegradable

The mixture is biodegradable.

### 12.3. Bioaccumulative potential

2-butoxyethyl acetate

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	≤4				

Not available.

### 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BAKRYLEX UNIVERZÁL LESK

Creation date	22nd January 2019	Version	5.1
Revision date	18th April 2023		

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

#### Packaging waste type code

15 01 02 plastic packaging

15 01 04 metallic packaging

### SECTION 14: Transport information

#### 14.1. UN number or ID number

not subject to transport regulations

#### 14.2. UN proper shipping name

not relevant

#### 14.3. Transport hazard class(es)

not relevant

#### 14.4. Packing group

not relevant

#### 14.5. Environmental hazards

not relevant

#### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

not available



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BAKRYLEX UNIVERZÁL LESK

Creation date	22nd January 2019	Version	5.1
Revision date	18th April 2023		

### SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### A list of additional standard phrases used in the safety data sheet

EUH208	Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
--------	--

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log K <sub>ow</sub>	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic

**SAFETY DATA SHEET**

according to Commission Regulation (EU) 2020/878 as amended

**BAKRYLEX UNIVERZÁL LESK**

Creation date	22nd January 2019	Version	5.1
Revision date	18th April 2023		

ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**The changes (which information has been added, deleted or modified)**

The version 5.1 replaces the SDS version from 14 March 2023. Changes were made in sections 2 and 16.

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.