

according to Commission Regulation (EU) 2020/878 as amended

## **BAKRYLEX UNIVERZÁL MAT**

Creation date 22nd January 2019

Revision date 18th April 2023 Version 5.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

..1. Product identifier BAKRYLEX UNIVERZÁL MAT

Substance / mixture mixture

Other mixture names

PAINT FOR METAL, WOOD AND WALLS

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Water-based paint for metal, wood and walls.

Main intended use

PC-PNT-2 Paints/coatings - Decorative

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name BARVY A LAKY TELURIA, s.r.o.

Address č.p. 1, Skrchov, 679 61

Czech Republic 43420371

Identification number (CRN)43420371VAT Reg NoCZ43420371Phone+420 516 474 211E-mailinfo@teluria.czWeb addresshttp://www.bal.cz

Competent person responsible for the safety data sheet

Name Ing. Markéta Chalupová, Ph.D. E-mail marketa.chalupova@teluria.cz

1.4. Emergency telephone number

European emergency number: 112

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

#### 2.2. Label elements

## Supplemental information

EUH208 Contains reakční směs : 5-chlor-2-methylisothiazol-3(2H) -on [číslo ES 247-500-7]

a 2-methylisothiazol-3(2H)-on [číslo ES 220-239-6] (3:1). May produce an allergic

reaction.



according to Commission Regulation (EU) 2020/878 as amended

## **BAKRYLEX UNIVERZÁL MAT**

Creation date 22nd January 2019

Revision date 18th April 2023 Version 5.0

Density 1,2 g/cm³ při 20 °C VOC limit value cat. A (d) WB: 130 g/l

Max. VOC content in the product in its ready to use 52 g/l

condition

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

	CHVII OHIIICHE			
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 607-038-00-2 CAS: 112-07-2 EC: 203-933-3 Registration number: 01-2119475112-47	2-butoxyethyl acetate	<2,3	Acute Tox. 4, H312, H332	2
Index: 613-167-00-5 CAS: 55965-84-9	reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)	<0,002	Acute Tox. 3, H301, H311, H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Specific concentration limit: Eye Irrit. 2, H319: $0.06 \% \le C < 0.6 \%$ Skin Sens. 1, H317: $C \ge 0.0015 \%$ Skin Irrit. 2, H315: $0.06 \% \le C < 0.6 \%$ Skin Corr. 1B, H314: $C \ge 0.6 \%$	1

#### **Notes**

- 1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- 2 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

Page 2/10



according to Commission Regulation (EU) 2020/878 as amended

## **BAKRYLEX UNIVERZÁL MAT**

Creation date 22nd January 2019

Revision date 18th April 2023 Version 5.0

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

#### If on skin

Remove contaminated clothes.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

#### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

### 4.2. Most important symptoms and effects, both acute and delayed

### If inhaled

Not expected.

#### If on skin

May cause an allergic skin reaction.

### If in eyes

Not expected.

### If swallowed

Not expected.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

### Unsuitable extinguishing media

not available

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

## 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Commission Regulation (EU) 2020/878 as amended

## **BAKRYLEX UNIVERZÁL MAT**

Creation date 22nd January 2019

Revision date 18th April 2023 Version 5.0

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect against frost. Do not store together with food, drink and animal feed. Keep out of reach of children.

Storage temperature

min 5 °C, max 40 °C

### 7.3. Specific end use(s)

Water-based paint for metal, wood and walls.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### **European Union**

### Commission Directive 2000/39/EC

Substance name (component)	Туре	Value	Note
	OEL 8 hours	133 mg/m <sup>3</sup>	
	OEL 8 hours	20 ppm	
2-butoxyethyl acetate (CAS: 112-07-2)	OEL 15 minutes	333 mg/m <sup>3</sup>	Skin
	OEL 15 minutes	50 ppm	

### DNEL

### 2-butoxyethyl acetate

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	133 mg/m <sup>3</sup>	Chronic effects systemic		
Workers	Inhalation	775 mg/m <sup>3</sup>	Acute effects systemic		
Workers	Inhalation	333 mg/m <sup>3</sup>	Acute effects local		
Workers	Dermal	102 mg/kg	Chronic effects systemic		
Workers	Dermal	102 mg/kg	Acute effects systemic		
Consumers	Inhalation	67 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Inhalation	499 mg/m <sup>3</sup>	Acute effects systemic		
Consumers	Inhalation	166 mg/m <sup>3</sup>	Acute effects local		
Consumers	Dermal	36 mg/kg	Chronic effects systemic		
Consumers	Dermal	27 mg/kg	Acute effects systemic		
Consumers	Oral	4.3 mg/kg	Chronic effects systemic		
Consumers	Oral	18 mg/kg	Acute effects systemic		

### PNEC

## 2-butoxyethyl acetate

Route of exposure	Value	Value determination	Source
Freshwater environment	0.304 mg/l		

Page 4/10



according to Commission Regulation (EU) 2020/878 as amended

## **BAKRYLEX UNIVERZAL MAT**

Creation date 22nd January 2019

5.0 Revision date 18th April 2023 Version

### 2-butoxyethyl acetate

Route of exposure	Value	Value determination	Source
Marine water	0.0304 mg/l		
Freshwater sediment	2.03 mg/kg of dry substance of sediment		
Sea sediments	0.203 mg/kg of dry substance of sediment		
Soil (agricultural)	0.68 mg/kg of dry substance of soil		

#### 8.2. **Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

It is not needed.

#### Skin protection

When handling in long-term or repeatedly, use protective gloves.

#### Respiratory protection

It is not needed. When aerosol formation aerosol respirator.

### Thermal hazard

Not available.

## **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Physical state liquid Colour according to the shade Odour without fragrance

Melting point/freezing point 0 °C Boiling point or initial boiling point and boiling range 100 °C

Flammability non-inflammable Lower and upper explosion limit data not available Flash point data not available

Auto-ignition temperature data not available Decomposition temperature data not available 7-8 (undiluted) рΗ Kinematic viscosity data not available

miscible Solubility in water

Solubility in fats insoluble Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

Density 1,2 g/cm3 at 20 °C Relative vapour density data not available Particle characteristics data not available

Page 5/10



according to Commission Regulation (EU) 2020/878 as amended

## **BAKRYLEX UNIVERZÁL MAT**

Creation date 22nd January 2019

Revision date 18th April 2023 Version 5.0

Form liquid, thixotropic

9.2. Other information

Oxidising properties The product has no oxidizing properties. Explosive properties The product does not have explosive properties.

VOC limit value cat. A (d) WB: 130 g/l

Max. VOC content in the product in its ready to use 52 g/l

condition

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

## 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

## **Acute toxicity**

Based on available data the classification criteria are not met.

2-butoxyethyl acetate

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD50	300-2000 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD50	1000-2000 mg/kg		Rabbit	

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

### Serious eye damage/irritation

Based on available data the classification criteria are not met.

## Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

## Germ cell mutagenicity

Based on available data the classification criteria are not met.

# Carcinogenicity

Based on available data the classification criteria are not met.

## Reproductive toxicity

Based on available data the classification criteria are not met.

Page 6/10



according to Commission Regulation (EU) 2020/878 as amended

## **BAKRYLEX UNIVERZÁL MAT**

Creation date 22nd January 2019

Revision date 18th April 2023 Version 5.0

#### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### **Aspiration hazard**

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.

#### 11.2. Information on other hazards

not available

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### **Acute toxicity**

The ecotoxicity of the mixture has not been tested

2-butoxyethyl acetate

Parameter	Value	Exposure time	Species	Environment
LC50	>10-100 mg/l	48 hours	Fish (Leuciscus idus)	
EC50	>100 mg/l	24 hours	Daphnia (Daphnia magna)	
EC50	>100 mg/kg	72 hours	Algae (Scenedesmus subspicatus)	

## 12.2. Persistence and degradability

#### **Biodegradability**

2-butoxyethyl acetate

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301C	70 %	28 days	Activated sludge	Easily biodegradable

The mixture is biodegradable.

### 12.3. Bioaccumulative potential

2-butoxyethyl acetate

Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	≤4				

Not available.

## 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## 12.7. Other adverse effects

Not available.

Page 7/10



according to Commission Regulation (EU) 2020/878 as amended

## **BAKRYLEX UNIVERZÁL MAT**

Creation date 22nd January 2019

Revision date 18th April 2023 Version 5.0

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

#### Packaging waste type code

15 01 02 plastic packaging 15 01 04 metallic packaging

#### **SECTION 14: Transport information**

#### 14.1. UN number or ID number

not subject to transport regulations

#### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

## 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

## 14.6. Special precautions for user

Reference in the Sections 4 to 8.

## 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

not available

Page 8/10



according to Commission Regulation (EU) 2020/878 as amended

## **BAKRYLEX UNIVERZÁL MAT**

Creation date 22nd January 2019

Revision date 18th April 2023 Version 5.0

#### **SECTION 16: Other information**

## A list of standard risk phrases used in the safety data sheet

H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.
H332 Harmful if inhaled.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### A list of additional standard phrases used in the safety data sheet

EUH208 Contains reakční směs: 5-chlor-2-methylisothiazol-3(2H) -on [číslo ES 247-500-7]

a 2-methylisothiazol-3(2H)-on [číslo ES 220-239-6] (3:1). May produce an allergic

reaction.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

 log Kow
 Octanol-water partition coefficient

 OEL
 Occupational Exposure Limits

 PBT
 Persistent, Bioaccumulative and Toxic

Page 9/10



according to Commission Regulation (EU) 2020/878 as amended

## **BAKRYLEX UNIVERZÁL MAT**

Creation date 22nd January 2019 Revision date 18th April 2023

18th April 2023 Version 5.0

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Skin Corr. Skin corrosion
Skin Sens. Skin sensitization

### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### **Recommended restrictions of use**

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 5.0 replaces the SDS version from 20 January 2023. Changes were made in sections 1, 2, 12, 13, 15 and 16.

## Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.