

according to Commission Regulation (EU) 2020/878 as amended

## S 1035 LAZUROL® TOPDECOR

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
- |                     |                                  |
|---------------------|----------------------------------|
| Substance / mixture | S 1035 LAZUROL® TOPDECOR mixture |
| UFI                 | FPCW-POJU-R00F-ENYY              |
| Other mixture names | S 1035 LAZUROL® TOPDECOR BÁZE    |
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
- Mixture's intended use**  
Thin coating wood stain
- Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
- Manufacturer**
- |                             |  |
|-----------------------------|--|
| Name or trade name          | BARVY A LAKY TELURIA, s.r.o.             |
| Address                     | č.p.1, Skrchov, 679 61<br>Czech Republic |
| Identification number (CRN) | 43420371                                 |
| VAT Reg No                  | CZ43420371                               |
| Phone                       | +420 516 474 211                         |
| E-mail                      | info@teluria.cz                          |
| Web address                 | http://www.bal.cz                        |
- Competent person responsible for the safety data sheet**
- |        |                          |
|--------|--------------------------|
| Name   | Ing. Štěpánka Nováková   |
| E-mail | stepanka.novakova@bal.cz |
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
- Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.
- Skin Sens. 1A, H317  
Aquatic Chronic 3, H412
- Most serious adverse effects on human health and the environment**  
May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

- 2.2. Label elements**
- Hazard pictogram**



**Signal word**  
Warning

according to Commission Regulation (EU) 2020/878 as amended

## S 1035 LAZUROL® TOPDECOR

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

### Hazardous substances

reaction mass bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

### Hazard statements

H317 May cause an allergic skin reaction.  
 H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

P102 Keep out of reach of children.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear protective gloves.  
 P302+P352 IF ON SKIN: Wash with plenty of water and soap.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P501 Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.

### Supplemental information

EUH066 Repeated exposure may cause skin dryness or cracking.  
 Density 0.86-0.88 g/cm<sup>3</sup> at 23 °C  
 VOC 0,59-0,61 kg/kg  
 TOC 0,50-0,52 kg/kg  
 Dry matter 33 % volume  
 VOC limit value cat. A (h) SB: 750 g/l  
 Max. VOC content in the product in its ready to use condition 550 g/l

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components. Substances are neither listed in Annex XIV of REACH nor on the REACH candidate list of substances of very high concern (SVHC).

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Solution of special alkyd resin in organic solvents with the addition of drying oils, waxes, UV filters and dispersion of transparent iron oxides.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-327-00-6 EC: 918-481-9 Registration number: 01-2119457273-39	Hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics	57-60	Asp. Tox. 1, H304 EUH066	1, 2
CAS: 1065336-91-5 EC: 915-687-0 Registration number: 01-2119491304-40	reaction mass bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1	Skin Sens. 1A, H317 Repr. 2, H361f Aquatic Acute 1, H400 Aquatic Chronic 1, H410	

according to Commission Regulation (EU) 2020/878 as amended

**S 1035 LAZUROL® TOPDECOR**

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 3470-98-2 EC: 222-437-8 Registration number: 01-2120062728-48	1-butylpyrrolodin-2-one	0.3-0.5	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319	
Index: 603-108-00-1 CAS: 78-83-1 EC: 201-148-0 Registration number: 01-2119484609-23	2-methylpropan-1-ol	0.3-0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335, H336	
Index: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 Registration number: 01-2119457610-43	ethanol	0.25	Flam. Liq. 2, H225 Eye Irrit. 2, H319	

**Notes**

- Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply. This note applies only to certain complex oil-derived substances in Part 3.*
- Fulfilled Note P*

Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**If inhaled**

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

**If on skin**

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

**If swallowed**

Rinse out the mouth with clean water. DO NOT INDUCE VOMITING! In the event of issues, find medical help.

according to Commission Regulation (EU) 2020/878 as amended

## S 1035 LAZUROL® TOPDECOR

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Not expected.

#### If on skin

May cause an allergic skin reaction.

#### If in eyes

Not expected.

#### If swallowed

Irritation, nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. If you see a doctor, take this safety data sheet with you.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For workers apart from emergency teams: Avoid inhalation of vapour, prevent skin and eye contact. Wear appropriate protective clothing and gloves. Wear eye protection and face shield if necessary. Use suitable respiratory protection. In closed spaces, ensure fresh air supply. Eliminate all ignition sources. No smoking and no open fire. Keep unnecessary personnel away.

For members of emergency teams: Use appropriate personal protective equipment – protective clothing with antistatic finish and impermeable work shoes. Treat unprotected skin with barrier cream. Anti-chemical protective gloves. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. If possible prevent leakage, close container and place damaged container in protective container.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

according to Commission Regulation (EU) 2020/878 as amended

**S 1035 LAZUROL® TOPDECOR**

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****7.1.1. General health measures**

Use the product after due familiarization with its hazard characteristics and proper training or training in its safe use. Do not eat, drink, smoke on the site. Wash your hands and other contaminated parts of body by soap and water before eating and after the use of product is finished. Abide by requirements on personal hygiene when working with hazardous chemical products.

Use technical equipment on the site to control human and environment exposure. Regularly inspect the equipment, ensure cleaning, timely maintenance and permanent functionality. When working, use the recommended personal protective equipment listed in 8.2 of the Safety Data Sheet. Keep the protective clothing and protective equipment sound and clean. Immediately replace the damaged protective aids for sound ones. Keep the site, tools and aids clean and in sound state. On the site, keep the product in labelled containers or tanks. Store product waste and wastes contaminated by the product in suitable and properly labelled vessels located on designated marked and protected places. Ensure long-term storing of wastes containing the product outside the site.

**7.1.2. Fire precautions**

When using the product, prevent potential ignition or explosion of the mixture of product vapour and air caused by contact with open flame, sparks, extremely hot surfaces, electrostatic discharges. Do not smoke on the site, use non-sparking tools. Places with increased occurrence of the vapour-air mixture need to be ventilated to prevent formation of explosive mixtures. Solvent vapours are heavier than air. The site should be protected from electrostatic discharges.

**7.1.3. Environmental precautions**

Handle the product on a site technically adapted to avoid accidental leakage to sewerage systems, water or soil. Product waste and wastes contaminated by the product to be disposed of as hazardous waste. Waste water contaminated by the product may only be discharged to water reservoirs after the product components are properly removed in a waste water treatment plant or in other appropriate treatment plant able to remove drifted product components from water. Do not pour the product to waste water. Emissions of solvent from point sources are subjected to control requirements acc. to air protection regulations.

**7.2. Conditions for safe storage, including any incompatibilities**

Store the product in properly marked, closed containers in well ventilated spaces at 5 – 25 °C. The storages must meet the requirements on storing of flammable liquids and substances hazardous for aquatic life and soil. Protect from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Store away from oxidising substances and strong acids. Do not store with food, drinks, feed material, medicines. Storages should be protected from static electricity. First aid kit and water suitable for eye rinsing should be available. Keep away from products that are corrosive to metals (eg acids or pool chemicals).

Storage class	12 - Non-combustible liquids that cannot be assigned to any of the above storage classes
Storage temperature	min 5 °C, max 25 °C

**7.3. Specific end use(s)**

For the substance hydrocarbons, C10 - C13, n-alkanes, isoalkanes, cyclic, <2% aromatics, its use in coatings for industrial, professional use and for consumer use was assessed during its registration (PC 9a). The only hazardous property requiring classification of the substance is aspiration hazard Asp. Tox.1, H304. There are no safe dose or concentration limits for substances with this property, therefore no quantitative risk assessment is performed. The reaction mass of pentamethyl-piperidyl sebacate substance was assessed for its use in coatings for industrial, professional and consumer use (PC 9a). Hazardous skin sensitization property Skin Sens.1A (H317) has been evaluated for potential risks. The safe use of the product is incorporated into the information contained in the safety data sheet.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

according to Commission Regulation (EU) 2020/878 as amended

**S 1035 LAZUROL® TOPDECOR**

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

**DNEL**

<b>1-butylpyrrolidin-2-one</b>			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	24.1 mg/m <sup>3</sup>	Chronic effects systemic
Workers	Dermal	10 mg/kg bw/day	Chronic effects systemic
Consumers	Inhalation	4.29 mg/m <sup>3</sup>	Chronic effects systemic
Consumers	Dermal	5 mg/kg bw/day	Chronic effects systemic
Consumers	Oral	4 mg/kg bw/day	Chronic effects systemic
Consumers	Oral	4 mg/kg bw/day	Acute effects systemic

<b>2-methylpropan-1-ol</b>			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	310 mg/m <sup>3</sup>	Chronic effects local
Consumers	Inhalation	55 mg/m <sup>3</sup>	Chronic effects local

<b>ethanol</b>			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	380 mg/m <sup>3</sup>	Chronic effects systemic
Consumers	Inhalation	114 mg/m <sup>3</sup>	Chronic effects systemic

<b>reaction mass bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate</b>			
Workers / consumers	Route of exposure	Value	Effect
Workers	Dermal	1.8 mg/kg bw/day	Chronic effects systemic
Workers	Inhalation	1.27 mg/m <sup>3</sup>	Chronic effects systemic
Consumers	Dermal	0.9 mg/kg bw/day	Chronic effects systemic
Consumers	Inhalation	0.31 mg/m <sup>3</sup>	Chronic effects systemic
Consumers	Oral	0.18 mg/kg bw/day	Chronic effects systemic

**PNEC**

<b>1-butylpyrrolidin-2-one</b>	
Route of exposure	Value
Freshwater environment	4 mg/l
Water (intermittent release)	1 mg/l
Marine water	400 µg/l
Seawater (intermittent release)	100 µg/l
Microorganisms in sewage treatment	30.62 mg/l
Freshwater sediment	20.168 mg/kg of dry substance of sediment
Sea sediments	2.017 mg/kg of dry substance of sediment
Soil (agricultural)	1.68 mg/kg of dry substance of soil

according to Commission Regulation (EU) 2020/878 as amended

## S 1035 LAZUROL® TOPDECOR

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

ethanol	
Route of exposure	Value
Freshwater environment	0.96 mg/l
Marine water	0.79 mg/l
Water (intermittent release)	2.75 mg/l
Microorganisms in sewage treatment	580 mg/l
Freshwater sediment	3.6 mg/kg of dry substance of sediment
Sea sediments	2.9 mg/kg of dry substance of sediment
Soil (agricultural)	0.63 mg/kg of dry substance of soil
Secondary poisoning	0.38 mg/kg of food

reaction mass bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	
Route of exposure	Value
Freshwater environment	0.0022 mg/l
Marine water	0.00022 mg/l
Water (intermittent release)	0.009 mg/l
Freshwater sediment	1.05 mg/kg of dry substance of sediment
Sea sediments	0.11 mg/kg of dry substance of sediment
Soil (agricultural)	0.21 mg/kg of dry substance of soil
Microorganisms in sewage treatment	1 mg/l

### 8.2. Exposure controls

Conditions of safe use of the registered coating composition components are specified in the body of Safety Data Sheets.

General safety and hygienic measures. When working, do not eat, drink, smoke. Before the break and after the work, hands should be washed with soap and hot water, treated with barrier cream. Overall and local ventilation, effective extraction.

#### Eye/face protection

Eye protection is not necessary under normal handling. When working with the risk of being exposed to liquid, use protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

Skin protection: Protective clothes with antistatic finish, protective shoes; treat unprotected skin with barrier cream.  
Hand protection: Chemical resistant protective gloves (EN 374-1:2003). Suitable material – nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinyl chloride (0.7 mm) and others, time of penetration corresponding to > 480 minutes. The time of penetration specified by the manufacturer should be followed and the glove replaced after expiration. If damaged, the gloves should be replaced immediately.

The selection of suitable protective gloves does not only depend on their material, but also on other qualitative features. Furthermore, since the mixture can be used for various purposes, mixed with other substances, the suitability of gloves for all purposes cannot be predetermined and must be verified in particular use.

#### Respiratory protection

Respiratory protection is not required under normal handling. Don't breathe vapours. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

according to Commission Regulation (EU) 2020/878 as amended

## S 1035 LAZUROL® TOPDECOR

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

### Thermal hazard

Not available.

### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Ensure that containers are properly closed during storage, handling and transport. Secure storage areas against possible leakage of product into the environment (sewerage, water, soil - see 6.2). Do not flush product into drains or watercourses.

### More information

In the Czech Republic: The monitoring procedure for the content of substances in workplace air and the specification of protective equipment is determined by the worker responsible for occupational safety and health protection of workers. Legal and natural persons doing business have the obligation to measure and control the values of concentrations of substances in the atmosphere of workplaces and to classify workplaces according to the categorization of work.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	data not available
Odour	typical aromatic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	>62 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	>20.5 mm <sup>2</sup> /s at 40 °C
Solubility in water	data not available
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0.86-0.88 g/cm <sup>3</sup> at 23 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	Medium viscous liquid without mechanical impurities

### 9.2. Other information

Evaporation rate	data not available
Oxidising properties	The product has no oxidizing properties.
Content of organic solvents (VOC)	0.59-0.61 kg/kg
Total organic carbon (TOC)	0.50-0.52 kg/kg
Solid content (dry matter)	33 % volume
VOC limit value	cat. A (h) SB: 750 g/l
Max. VOC content in the product in its ready to use condition	550 g/l

according to Commission Regulation (EU) 2020/878 as amended

## S 1035 LAZUROL® TOPDECOR

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### Acute toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

S 1035 LAZUROL® TOPDECOR							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	ATE		44118 mg/kg				Calculation of value

1-butylpyrrolodin-2-one							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	LD <sub>50</sub>	OECD 423	>300 mg/kg bw		Rat (Rattus norvegicus)		
Dermal	LD <sub>50</sub>	OECD 402	>2000 mg/kg bw		Rat (Rattus norvegicus)		
Inhalation	LC <sub>50</sub>	OECD 403	>5.1 mg/l		Rat (Rattus norvegicus)		

2-methylpropan-1-ol							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Inhalation	LC <sub>50</sub>		>18.18 mg/l of air	6 hours	Rat (Rattus norvegicus)	F/M	
Oral	LD <sub>50</sub>		3350 mg/kg bw		Rat (Rattus norvegicus)		
Dermal	LD <sub>50</sub>		2460 mg/kg bw		Rabbit		

according to Commission Regulation (EU) 2020/878 as amended

**S 1035 LAZUROL® TOPDECOR**

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

ethanol							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	LD <sub>50</sub>		10470 mg/kg bw		Rat (Rattus norvegicus)		
Dermal	LD <sub>50</sub>		15800 mg/kg bw		Rat (Rattus norvegicus)		
Inhalation	LC <sub>50</sub>		50000 mg/m <sup>3</sup>		Rat (Rattus norvegicus)		

Hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	LD <sub>50</sub>	OECD 401	>15000 mg/kg		Rat (Rattus norvegicus)		
Dermal	LD <sub>50</sub>	OECD 402	3160-5000 mg/kg bw		Rabbit		
Inhalation	LC <sub>50</sub>		6100 mg/m <sup>3</sup> of air	4 hours	Rat (Rattus norvegicus)		

reaction mass bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Value determination
Oral	LD <sub>50</sub>	OECD 401	3230 mg/kg bw/day		Rat (Rattus norvegicus)		
Dermal	LD <sub>50</sub>	OECD 402	>3170 mg/kg		Rat (Rattus norvegicus)		

**Skin corrosion/irritation**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Serious eye damage/irritation**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction. Data for the components of the mixture are not available.

**Germ cell mutagenicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

**Carcinogenicity**

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

according to Commission Regulation (EU) 2020/878 as amended

## S 1035 LAZUROL® TOPDECOR

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

### Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## 11.2. Information on other hazards

### Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

### Other information

not available

## SECTION 12: Ecological information

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

#### Acute toxicity

1-butylpyrrolodin-2-one					
Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		>100 mg/l	96 hours	Fish	
EC <sub>50</sub>		>100 mg/l	48 hours	Daphnia (Daphnia magna)	
IC <sub>50</sub>		≥130 mg/l	72 hours	Algae	

2-methylpropan-1-ol					
Parameter	Method	Value	Exposure time	Species	Environment
EC <sub>50</sub>		1100 mg/l		Daphnia (Daphnia magna)	
LC <sub>50</sub>		1430 mg/l	96 hours	Fish (Pimephales promelas)	
ErC <sub>50</sub>		1799 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

according to Commission Regulation (EU) 2020/878 as amended

**S 1035 LAZUROL® TOPDECOR**

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

ethanol					
Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>		8140 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC <sub>50</sub>		9248 mg/l	48 hours	Daphnia (Daphnia magna)	
EC <sub>50</sub>		5000 mg/l	72 hours	Algae (Selenastrum capricornutum)	

Hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics					
Parameter	Method	Value	Exposure time	Species	Environment
LL <sub>50</sub>	OECD 203	>1000 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
LL <sub>50</sub>	OECD 202	>1000 mg/l	48 hours	Daphnia (Daphnia magna)	
EL <sub>50</sub>	OECD 201	>1000 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
EL <sub>50</sub>		>1000 mg/l	48 hours	Microorganisms (Tetrahymena pyriformis)	

reaction mass bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate					
Parameter	Method	Value	Exposure time	Species	Environment
LC <sub>50</sub>	OECD 203	0.9 mg/l	96 hours	Fish (Brachydanio rerio)	
EC <sub>50</sub>	OECD 201	1.68 mg/l	72 hours	Algae and other aquatic plants (Desmodesmus subspicatus)	
EC <sub>20</sub>	OECD 209	>100 mg/l	3 hours	Microorganisms	

**12.2. Persistence and degradability**

Data for the mixture are not available.

**12.3. Bioaccumulative potential**

Data for the mixture are not available.

**12.4. Mobility in soil**

The mixture is a liquid insoluble in water, in case of leakage into environment, it may be dispersed over large distances and penetrate into underground water. It contains components with the potential of mobility in soil. When released into the soil may occur due to contamination of groundwater.

**12.5. Results of PBT and vPvB assessment**

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

**12.6. Endocrine disrupting properties**

according to Commission Regulation (EU) 2020/878 as amended

## S 1035 LAZUROL® TOPDECOR

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

### 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

08 01 11\* waste paint and varnish containing organic solvents or other hazardous substances

#### Packaging waste type code

15 01 10\* packaging containing residues of or contaminated by hazardous substances

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## SECTION 14: Transport information

### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

The product is not environmentally hazardous.

### 14.6. Special precautions for user

Reference in the Sections 4 to 8. The product is transported in ordinary and covered means of transport, protected against the weather, shocks and falls. Always transport in closed cans that are in a vertical position and properly secured.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

according to Commission Regulation (EU) 2020/878 as amended

## S 1035 LAZUROL® TOPDECOR

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

The chemical safety assessments for hydrocarbons, C10 - C13, n-alkanes, isoalkanes, cyclic <2% aromatics and reaction mass of pentamethylpiperidyl sebacate were performed during their registration. The conclusions of the assessment for the use of the substances in coatings are incorporated in this safety data sheet.

### SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

EUH066	Repeated exposure may cause skin dryness or cracking.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

Acute Tox.	Acute toxicity
ADR	Agreement concerning the international carriage of dangerous goods by road
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard

according to Commission Regulation (EU) 2020/878 as amended

## S 1035 LAZUROL® TOPDECOR

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>20</sub>	Concentration of a substance when it is affected 20 % of the population
EC <sub>50</sub>	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EL <sub>50</sub>	Effective Loading for 50 % of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC <sub>50</sub>	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LL <sub>50</sub>	Lethal Loading for 50 % of tested organisms
log K <sub>ow</sub>	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Agreement on the transport of dangerous goods by rail
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

according to Commission Regulation (EU) 2020/878 as amended

## S 1035 LAZUROL® TOPDECOR

Creation date	25th June 2012	Version	6.0
Revision date	24th February 2025		

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

Commission Regulation (EU) 2020/878 of 18 June 2020. REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 6.0 replaces the SDS version from Friday, 12 January 2024. Changes were made in sections 2, 11, 12, 13 and 16.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.