

	S 103	7 LAZUROL® GOLD				
Creation	on date 17th May 2012					
Revisio	on date 21st June 2021	Version	5.0			
SECTI	ON 1: Identification of the substance/mixture and of the company/undertaking					
1.1.	Product identifier	S 1037 LAZUROL	® GOLD			
	Substance / mixture	mixture				
	Other mixture names					
	S 1037 LAZUROL® GOLD BASE					
1.2.	Relevant identified uses of the substan	ce or mixture and uses advise	d against			
	Mixture's intended use					
	Varnish. Thixotropic wood stain.					
	Mixture uses advised against					
	not available					
1.3.	Details of the supplier of the safety dat	a sheet				
	Výrobce					
	Name or trade name	BARVY A LAKY TE	LURIA,s.r.o.			
	Address	č.p.1, Skrchov, 6	79 61			
		Czech Republic				
	Identification number (CRN)	43420371				
	VAT Reg No	CZ43420371				
	Phone	+420 516 474 21	1			
	E-mail	tel@teluria.cz				
	Web address	http://www.bal.c	Ζ			
	Competent person responsible for the s	safety data sheet				
	Name	BARVY A LAKY TE	LURIA,s.r.o.			
	E-mail	tel@teluria.cz				
1.4.	Emergency telephone number					

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

2.2. Label elements

Precautionary statements	
P102	Keep out of reach of children.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/eye protection.
P501	Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.
Supplemental information	
EUH066	Repeated exposure may cause skin dryness or cracking.

Page 1/12



according to Regulation (EC) No 1907/2006 (REACH) as amended				
	S 1037 LAZU	IROL® GOLD		
Creation date	17th May 2012			
Revision date	21st June 2021	Version	5.0	
Density		0,92 g/cm ³ at 23	°C	
VOC		0,42 kg/kg		
TOC		0,36 kg/kg		
Dry matter		46 % volume		
VOC limit value	2	cat. A (e) SB: 400	0 g/l	
Max. VOC cont condition	ent in the product in its ready to use	399 g/l		

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Solution of special resins in organic solvents with the addition of drying oils, waxes and dispersion of transparent iron oxides.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-327-00-6 EC: 918-481-9 Registration number: 01-2119457273-39	Hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics	<40	Asp. Tox. 1, H304 EUH066	1, 2
CAS: 25265-77-4 EC: 246-771-9 Registration number: 01-2119441305-48	isobutyric acid, monoester with 2,2,4- trimethylpentane-1,3-diol	10		
Index: 603-108-00-1 CAS: 78-83-1 EC: 201-148-0 Registration number: 01-2119484609-23	2-methylpropan-1-ol	0,4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335, H336	

Notes

- 1 Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply. This note applies only to certain complex oil-derived substances in Part 3.
- Fulfilled Note P 2

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

Page 2/12

BARVY A LAKY TELURIA, s.r.o.			
č.p. 1, 679 61 Skrchov, Czech Republic			
IČ: 43420371			



Creation date Revision date If on s Remov If in e Rinse lenses If swa Rinse 4.2. Most i If inha Not ex If on s Not ex			
If on s Remov If in e Rinse lenses If swa Rinse 4.2. Most i If inha Not ex If on s Not ex If in e Not ex			
Remov If in e Rinse lenses If swa Rinse 4.2. Most i If inha Not ex If on s Not ex If in e Not ex			
If in e Rinse lenses If swa Rinse 4.2. Most i If inha Not ex If on s Not ex If in e Not ex			
Rinse lenses If swa Rinse 4.2. Most i If inha Not ex If on s Not ex If in e Not ex			
lenses If swa Rinse (4.2. Most i If inha Not ex If on s Not ex If in e Not ex			
Rinse of 4.2. Most i If inh Not ex If on s Not ex If in e Not ex			
4.2. Most i If inh Not ex If on s Not ex If in e Not ex			
If inha Not ex If on s Not ex If in e Not ex			
Not ex If on s Not ex If in e Not ex			
If on s Not ex If in e Not ex			
Not ex If in e Not ex			
If in e Not ex			
Not ex			
If swa			
Not ex			
4.3. Indica			
Symptomatic treatment.			

5.2. Special hazards arising from the substance or mixture In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For workers apart from emergency teams: Avoid inhalation of vapour, prevent skin and eye contact. Wear appropriate protective clothing and gloves. Wear eye protection and face shield if necessary. Use suitable respiratory protection. In closed spaces, ensure fresh air supply. Eliminate all ignition sources. No smoking and no open fire. Keep unnecessary personnel away.

For members of emergency teams: Use appropriate personal protective equipment – protective clothing with antistatic finish and impermeable work shoes. Treat unprotected skin with barrier cream. Anti-chemical protective gloves. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. If possible prevent leakage, close container and place damaged container in protective container.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13.

Page	3/12



according to Regulation (EC) No 1907/2006 (REACH) as amended				
	ZUROL® GOLD	S 1037 L/		
		17th May 2012	Creation date	
5.0	Version	21st June 2021	Revision date	
5.0	Version	,	Revision date	
•		AZUROL® GOLD	S 1037 LAZUROL® GOLD 17th May 2012 21st June 2021 Version 5.0	

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

7.1.1. General health measures

Use the product after due familiarization with its hazard characteristics and proper training or training in its safe use. Do not eat, drink, smoke on the site. Wash your hands and other contaminated parts of body by soap and water before eating and after the use of product is finished. Abide by requirements on personal hygiene when working with hazardous chemical products.

Use technical equipment on the site to control human and environment exposure. Regularly inspect the equipment, ensure cleaning, timely maintenance and permanent functionality. When working, use the recommended personal protective equipment listed in 8.2 of the Safety Data Sheet. Keep the protective clothing and protective equipment sound and clean. Immediately replace the damaged protective aids for sound ones. Keep the site, tools and aids clean and in sound state. On the site, keep the product in labelled containers or tanks. Store product waste and wastes contaminated by the product in suitable and properly labelled vessels located on designated marked and protected places. Ensure long-term storing of wastes containing the product outside the site. 7.1.2. Fire precautions

When using the product, prevent potential ignition or explosion of the mixture of product vapour and air caused by contact with open flame, sparks, extremely hot surfaces, electrostatic discharges. Do not smoke on the site, use non-sparking tools. Places with increased occurrence of the vapour-air mixture need to be ventilated to prevent formation of explosive mixtures. Solvent vapours are heavier than air. The site should be protected from electrostatic discharges.

7.1.3. Environmental precautions

Handle the product on a site technically adapted to avoid accidental leakage to sewerage systems, water or soil. Product waste and wastes contaminated by the product to be disposed of as hazardous waste. Waste water contaminated by the product may only be discharged to water reservoirs after the product components are properly removed in a waste water treatment plant or in other appropriate treatment plant able to remove drifted product components from water. Do not pour the product to waste water. Emissions of solvent from point sources are subjected to control requirements acc. to air protection regulations.

7.2. Conditions for safe storage, including any incompatibilities

Store the product in properly marked, closed containers in well ventilated spaces at 5 – 25 °C. The storages must meet the requirements on storing of flammable liquids and substances hazardous for aquatic life and soil. Protect from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Store away from oxidising substances and strong acids. Do not store with food, drinks, feed material, medicines. Storages should be protected from static electricity. First aid kit and water suitable for eye rinsing should be available. Keep away from products that are corrosive to metals (eg acids or pool chemicals).

Storage temperature

min 5 °C, max 30 °C

7.3. Specific end use(s)

For the substance hydrocarbons, C10 - C13, n-alkanes, isoalkanes, cyclic, <2% aromatics, its use in coatings for industrial, professional use and for consumer use was assessed during its registration (PC 9a). The only hazardous property requiring classification of the substance is aspiration hazard Asp. Tox.1, H304. There are no safe dose or concentration limits for substances with this property, therefore no quantitative risk assessment is performed. The safe use of the product is incorporated into the information contained in the safety data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Page 4/12

BARVY A LAKY TELURIA, s.r.o. č.p. 1, 679 61 Skrchov, Czech Republic IČ: 43420371 tel.: +420 516 474 211 e-mail: prodej@teluria.cz www.bal.cz



	according to Regulation (E	C) No 1907/2006 (REACH) a	as amended	
	S 1037 L	AZUROL® GOLD		
Creation date	17th May 2012			
Revision date	21st June 2021	Version	5.0	

DNEL

2-methylpropan-1-ol

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Inhalation	310 mg/m ³	Local chronic effects	
Consumers	Inhalation	55 mg/m ³	Local chronic effects	
isobutyric acid, monoe	ster with 2,2,4-trir	nethylpentane-1	L,3-diol	
Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Inhalation	49 mg/m ³	Systemic chronic effects	
Consumers	Inhalation	14.5 mg/m ³	Systemic chronic effects	
Workers	Dermal	13.9 mg/kg bw/day	Systemic chronic effects	
Consumers	Dermal	8.33 mg/kg bw/day	Systemic chronic effects	
Consumers	Oral	8.33 mg/kg bw/day	Systemic chronic effects	

PNEC

2-methylpropan-1-ol

Route of exposure	Value	Determining method
Freshwater environment	0.4 mg/l	
Seawater	0.04 mg/l	
Water (intermittent release)	11 mg/l	
Microorganisms in wastewater treatment plants	10 mg/l	
Freshwater sediment	1.56 mg/kg of dry substance of sediment	
Sea sediments	0.156 mg/kg of dry substance of sediment	
Soil (agricultural)	0.0765 mg/kg of dry substance of soil	
isobutyric acid, monoester with 2	2,2,4-trimethylpentane-1,3-diol	
Route of exposure	Value	Determining method
Freshwater environment	0.015 mg/l	
Seawater	0.0015 mg/l	
Water (intermittent release)	0.15 mg/l	
Freshwater sediment	0.78 mg/kg of dry substance of sediment	
Sea sediments	0.078 mg/kg of dry substance of sediment	
Soil (agricultural)	0.147 mg/kg of dry substance of soil	
Microorganisms in wastewater treatment plants	7.5 mg/l	

Page 5/12

BARVY A LAKY TELURIA, s.r.o.	tel.: +420 516 474 211
č.p. 1, 679 61 Skrchov, Czech Republic	e-mail: prodej@teluria.cz
IČ: 43420371	www.bal.cz



	according t	o Regulation (EC)	No 1907/2006	(REACH) as ame	ended	
		S 1037 LA	ZUROL®	GOLD		
Creation date	17th May	2012				
Revision date 21st June 2021		2021	Version	I	5.0	
isobutyric acid,	monoester with 2	2,2,4-trimethylpent	ane-1,3-diol			
Route of expos	sure	Value		Determining me	ethod	

66.7 mg/kg of food

Food chain 8.2. Exposure controls

Conditions of safe use of the registered coating composition components are specified in the body of Safety Data Sheets.

General safety and hygienic measures. When working, do not eat, drink, smoke. Before the break and after the work, hands should be washed with soap and hot water, treated with barrier cream. Overall and local ventilation, effective extraction.

Eye/face protection

Eye protection is not necessary under normal handling. When working with the risk of being exposed to liquid, use protective goggles or face shield (based on the nature of the work performed).

Skin protection

When handling in long-term or repeatedly, use protective gloves.

Respiratory protection

Respiratory protection is not required under normal handling. Don't breathe vapours. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Ensure that containers are properly closed during storage, handling and transport. Secure storage areas against possible leakage of product into the environment (sewerage, water, soil - see 6.2). Do not flush product into drains or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	according to the shade
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	>62 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	data not available
Kinematic viscosity	>20,5 mm²/s at 40 °C
Solubility in water	not available
Solubility in fats	not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,92 g/cm ³ at 23 °C
Form	
Other information	
Evaporation rate	not available

Page 6/12

9.2.

BARVY A LAKY TELURIA, s.r.o. č.p. 1, 679 61 Skrchov, Czech Republic IČ: 43420371



Creation date 17th May Revision date 21st June					
	2021				
	2021	Version	5.0		
Oxidising properties		The product has n	The product has no oxidizing properties.		
Explosive properties		The product does	The product does not have explosive properties.		
Content of organic solvents (VOC	:)	0,42 kg/kg			
Total organic carbon (TOC)		0,36 kg/kg			
Solid content (dry matter)		46 % volume	46 % volume		
VOC limit value		cat. A (e) SB: 400	cat. A (e) SB: 400 g/l		
Max. VOC content in the product in its ready to use condition		e 399 g/l	399 g/l		

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown. 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

2-methylpropan-1-ol	
---------------------	--

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Inhalation	LC₅o		>18.18 mg/l of air	6 hour	Rat (Rattus norvegicus)	F/M

Hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Oral	LD50	OECD 401	>5000 mg/kg bw		Rat (Rattus norvegicus)	
Dermal	LD50	OECD 402	>2000 mg/kg bw		Rabbit	F/M



according to Regulation (EC) No 1907/2006 (REACH) as amended						
S 1037 LAZUROL® GOLD						
Creation date	17th May 2012					
Revision date	21st June 2021	Version	5.0			

Hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Inhalation	LC₅o	OECD 403	>5000 mg/m ³ of air		Rat (Rattus norvegicus)	

isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex
Oral	LD50		6500 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD50		>15200 mg/kg		Rabbit	
Inhalation	LC50		>3.55 mg/l	6 hour	Rat (Rattus norvegicus)	

Skin corrosion/irritation

Based on available data the classification criteria are not met. Prolonged or repeated contact with the product causes skin degreasing and drying.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards not available

SECTION 12: Ecological information

12.1. Toxicity

Page 8/12

BARVY A LAKY TELURIA, s.r.o. č.p. 1, 679 61 Skrchov, Czech Republic IČ: 43420371



according to Regulation (EC) No 1907/2006 (REACH) as amended							
S 1037 LAZUROL® GOLD							
Creation date	17th May 2012						
Revision date	21st June 2021	Version	5.0				

Acute toxicity

The ecotoxicity of the mixture has not been tested

isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol

Parameter	Value	Time of exposure	Species	Environment
LC50	33 mg/l	96 hour	Fishes (Pimephales promelas)	
EC50	147.8 mg/l	48 hour	Aquatic invertebrates	
ErC₅o	15 mg/l	72 hour	Algae (Pseudokirchneriella subcapitata)	

12.2. Persistence and degradability

Biodegradability

isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol

Parameter	Value	Time of exposure	Environment	Result		
	77 %	27 day		Biodegradable		
Data for mixture not available.						

12.3. Bioaccumulative potential

Data for mixture not available.

12.4. Mobility in soil

isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol

Parameter	Value	Environment	Surrounding temperature
Log Koc	1.5-2.8 mg/kg		

The mixture is a liquid insoluble in water, in case of leakage into environment, it may be dispersed over large distances and penetrate into underground water. It contains components with the potential of mobility in soil. When released into the soil may occur due to contamination of groundwater.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

Page 9/12

BARVY A LAKY TELURIA, s.r.o. č.p. 1, 679 61 Skrchov, Czech Republic IČ: 43420371



	according to Regulation (E	C) No 1907/2006 (REACH) a	as amended		
S 1037 LAZUROL® GOLD					
Creation date	17th May 2012				
Revision date	21st June 2021	Version	5.0		

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

08 01 11 waste paint and varnish containing organic solvents or other hazardous substances *

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

- not subject to transport regulations
- 14.2. UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group
- 14.5. Environmental hazards
- The product is not environmentally hazardous.
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- **14.7.** Maritime transport in bulk according to IMO instruments not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

Page 10/12



		according to Regulation (EC) No 190//2006 (REACH	i) as amended	
		S 1037 L	AZUROL® GOLI	0	
	on date	17th May 2012			
	on date	21st June 2021	Version	5.0	
5.2.	Chemical safet	-			
	performed durin incorporated in t More informat	ng its registration. The conclusion this safety data sheet. ion	ns of the assessment fo	nes, isoalkanes, cyclic $< 2\%$ aromatics we be the use of the substance in coatings a	
		e-1,3-diol (ES: 246-771-9). rt.	boiling point above 25	0°: isobutyric acid, monoester with 2,2,	
ЕСТІ	ON 16: Other in	formation			
		ard risk phrases used in the sa	-		
	H226	Flammable liquid	•		
	H304		allowed and enters airw	ays.	
	H315	Causes skin irrita			
	H318		Causes serious eye damage.		
	H335	May cause respira	•		
	H336	-	ness or dizziness.		
		safe handling used in the safe	-		
	P501	over to a person a	Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.		
	P102	Keep out of reach			
	P280		loves/eye protection.	in our door	
	P270		or smoke when using th	is product.	
		onal standard phrases used in	•		
	EUH066		re may cause skin dryne	ss of cracking.	
	The product mu as per the Section	on 1. The user is responsible for a	roved by the manufactu dherence to all related h	rer/importer - used for purposes other the alth protection regulations.	
	-	ations and acronyms used in t	-		
	ADR	road	-	national carriage of dangerous goods by	
	BCF	Bioconcentration			
	CAS	Chemical Abstrac			
	CLP	substance and mi	xtures	cation, labelling and packaging of	
	DNEL	Derived no-effect			
	EC50			ffected 50% of the population	
	EINECS		European Inventory of Existing Commercial Chemical Substances		
	EmS		Emergency plan Identification code for each substance listed in EINECS		
	ES		e for each substance list	ed in Eineus	
	EU	European Union	Catogorization Suctor		
	EuPCS	-	Categorisation System		
	IATA		Fransport Association	and Equipment of Shine Corrying	
	IBC	Dangerous Chem	icals	And Equipment of Ships Carrying	
	ICAO		Aviation Organization		
	IMDG		itime Dangerous Goods	n ava di a nta	
	INCI	International Non	nenclature of Cosmetic I	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	

Page 11/12



	S 1037 L	AZUROL® GOLD	
Creation date	17th May 2012		
Revision date	21st June 2021	Version	5.0
ISO	International Org	anization for Standardizati	ion
IUPAC	International Uni	on of Pure and Applied Che	emistry
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population		
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population		
log Kow	Octanol-water partition coefficient		
MARPOL	International Convention for the Prevention of Pollution from Ships		
OEL	Occupational Exposure Limits		
PBT	Persistent, Bioaccumulative and Toxic		
PNEC	Predicted no-effect concentration		
ppm	Parts per million		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals		
RID	Agreement on the transport of dangerous goods by rail		
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations		
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials		
VOC	Volatile organic compounds		
vPvB	Very Persistent a	nd very Bioaccumulative	
Asp. Tox.	Aspiration hazard		
Eye Dam.	Serious eye damage		
Flam. Liq.	Flammable liquid		
Skin Irrit.	Skin irritation		
STOT SE	Specific target organ toxicity - single exposure		
Training guidel	lines		

rainin

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

Commission Regulation (EU) 2020/878 of 18 June 2020. REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 5.0 replaces the SDS version from 08.10.2020. Overall revision of SDS acc. to Commission Regulation (EU) 2020/878.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

Page 12/12

> BARVY A LAKY TELURIA, s.r.o. č.p. 1, 679 61 Skrchov, Czech Republic IČ: 43420371

tel.: +420 516 474 211 e-mail: prodej@teluria.cz www.bal.cz