

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture S 1037 LAZUROL® GOLD
Other mixture names mixture
S 1037 LAZUROL® GOLD BASE
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Varnish. Thixotropic wood stain.
Mixture uses advised against
not available
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name BARVY A LAKY TELURIA,s.r.o.
Address č.p.1, Skrchov, 679 61
Czech Republic
Identification number (CRN) 43420371
VAT Reg. No. CZ43420371
Phone +420 516 474 211
E-mail info@teluria.cz
Web address http://www.bal.cz
- Competent person responsible for the safety data sheet**
Name BARVY A LAKY TELURIA,s.r.o.
E-mail info@teluria.cz
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.
- 2.2. Label elements**
Precautionary statements
P102 Keep out of reach of children.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/eye protection.
P501 Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.
- Supplemental information**
EUH066 Repeated exposure may cause skin dryness or cracking.
Density 0.92 g/cm³ at 23 °C
VOC 0,42 kg/kg
TOC 0,36 kg/kg
Dry matter 46 % volume
VOC limit value cat. A (e) SB: 400 g/l
Max. VOC content in the product in its ready to use condition 399 g/l

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components. Substances are neither listed in Annex XIV of REACH nor on the REACH candidate list of substances of very high concern (SVHC).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Solution of special resins in organic solvents with the addition of drying oils, waxes and dispersion of transparent iron oxides.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-327-00-6 EC: 918-481-9 Registration number: 01-2119457273-39	Hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics	<40	Asp. Tox. 1, H304 EUH066	1, 2
CAS: 25265-77-4 EC: 246-771-9 Registration number: 01-2119441305-48	isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol	10		
Index: 603-108-00-1 CAS: 78-83-1 EC: 201-148-0 Registration number: 01-2119484609-23	2-methylpropan-1-ol	0.4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335, H336	

Notes

- Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply. This note applies only to certain complex oil-derived substances in Part 3.
- Fulfilled Note P

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

If swallowed

Rinse out the mouth with clean water. DO NOT INDUCE VOMITING! In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. If you see a doctor, take this safety data sheet with you.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For workers apart from emergency teams: Avoid inhalation of vapour, prevent skin and eye contact. Wear appropriate protective clothing and gloves. Wear eye protection and face shield if necessary. Use suitable respiratory protection. In closed spaces, ensure fresh air supply. Eliminate all ignition sources. No smoking and no open fire. Keep unnecessary personnel away.

For members of emergency teams: Use appropriate personal protective equipment – protective clothing with antistatic finish and impermeable work shoes. Treat unprotected skin with barrier cream. Anti-chemical protective gloves. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. If possible prevent leakage, close container and place damaged container in protective container.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

SECTION 7: Handling and storage

7.1. Precautions for safe handling

7.1.1. General health measures

Use the product after due familiarization with its hazard characteristics and proper training or training in its safe use. Do not eat, drink, smoke on the site. Wash your hands and other contaminated parts of body by soap and water before eating and after the use of product is finished. Abide by requirements on personal hygiene when working with hazardous chemical products.

Use technical equipment on the site to control human and environment exposure. Regularly inspect the equipment, ensure cleaning, timely maintenance and permanent functionality. When working, use the recommended personal protective equipment listed in 8.2 of the Safety Data Sheet. Keep the protective clothing and protective equipment sound and clean. Immediately replace the damaged protective aids for sound ones. Keep the site, tools and aids clean and in sound state. On the site, keep the product in labelled containers or tanks. Store product waste and wastes contaminated by the product in suitable and properly labelled vessels located on designated marked and protected places. Ensure long-term storing of wastes containing the product outside the site.

7.1.2. Fire precautions

When using the product, prevent potential ignition or explosion of the mixture of product vapour and air caused by contact with open flame, sparks, extremely hot surfaces, electrostatic discharges. Do not smoke on the site, use non-sparking tools. Places with increased occurrence of the vapour-air mixture need to be ventilated to prevent formation of explosive mixtures. Solvent vapours are heavier than air. The site should be protected from electrostatic discharges.

7.1.3. Environmental precautions

Handle the product on a site technically adapted to avoid accidental leakage to sewerage systems, water or soil. Product waste and wastes contaminated by the product to be disposed of as hazardous waste. Waste water contaminated by the product may only be discharged to water reservoirs after the product components are properly removed in a waste water treatment plant or in other appropriate treatment plant able to remove drifted product components from water. Do not pour the product to waste water. Emissions of solvent from point sources are subjected to control requirements acc. to air protection regulations.

7.2. Conditions for safe storage, including any incompatibilities

Store the product in properly marked, closed containers in well ventilated spaces at 5 – 25 °C. The storages must meet the requirements on storing of flammable liquids and substances hazardous for aquatic life and soil. Protect from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Store away from oxidising substances and strong acids. Do not store with food, drinks, feed material, medicines. Storages should be protected from static electricity. First aid kit and water suitable for eye rinsing should be available. Keep away from products that are corrosive to metals (eg acids or pool chemicals).

Storage temperature

min 5 °C, max 30 °C

7.3. Specific end use(s)

For the substance hydrocarbons, C10 - C13, n-alkanes, isoalkanes, cyclic, <2% aromatics, its use in coatings for industrial, professional use and for consumer use was assessed during its registration (PC 9a). The only hazardous property requiring classification of the substance is aspiration hazard Asp. Tox.1, H304. There are no safe dose or concentration limits for substances with this property, therefore no quantitative risk assessment is performed. The safe use of the product is incorporated into the information contained in the safety data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL

2-methylpropan-1-ol			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	310 mg/m ³	Chronic effects local
Consumers	Inhalation	55 mg/m ³	Chronic effects local

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol

Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	49 mg/m ³	Chronic effects systemic
Consumers	Inhalation	14.5 mg/m ³	Chronic effects systemic
Workers	Dermal	13.9 mg/kg bw/day	Chronic effects systemic
Consumers	Dermal	8.33 mg/kg bw/day	Chronic effects systemic
Consumers	Oral	8.33 mg/kg bw/day	Chronic effects systemic

PNEC
2-methylpropan-1-ol

Route of exposure	Value
Freshwater environment	0.4 mg/l
Marine water	0.04 mg/l
Water (intermittent release)	11 mg/l
Microorganisms in sewage treatment	10 mg/l
Freshwater sediment	1.56 mg/kg of dry substance of sediment
Sea sediments	0.156 mg/kg of dry substance of sediment
Soil (agricultural)	0.0765 mg/kg of dry substance of soil

isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol

Route of exposure	Value
Freshwater environment	0.015 mg/l
Marine water	0.0015 mg/l
Water (intermittent release)	0.15 mg/l
Freshwater sediment	0.78 mg/kg of dry substance of sediment
Sea sediments	0.078 mg/kg of dry substance of sediment
Soil (agricultural)	0.147 mg/kg of dry substance of soil
Microorganisms in sewage treatment	7.5 mg/l
Food chain	66.7 mg/kg of food

8.2. Exposure controls

Conditions of safe use of the registered coating composition components are specified in the body of Safety Data Sheets.

General safety and hygienic measures. When working, do not eat, drink, smoke. Before the break and after the work, hands should be washed with soap and hot water, treated with barrier cream. Overall and local ventilation, effective extraction.

Eye/face protection

Eye protection is not necessary under normal handling. When working with the risk of being exposed to liquid, use protective goggles or face shield (based on the nature of the work performed).

Skin protection

When handling in long-term or repeatedly, use protective gloves.

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

Respiratory protection

Respiratory protection is not required under normal handling. Don't breathe vapours. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Ensure that containers are properly closed during storage, handling and transport. Secure storage areas against possible leakage of product into the environment (sewerage, water, soil - see 6.2). Do not flush product into drains or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	according to the shade
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	>62 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	>20.5 mm ² /s at 40 °C
Solubility in water	not available
Solubility in fats	not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0.92 g/cm ³ at 23 °C
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information

Evaporation rate	not available
Oxidising properties	The product has no oxidizing properties.
Explosive properties	The product does not have explosive properties.
Content of organic solvents (VOC)	0.42 kg/kg
Total organic carbon (TOC)	0.36 kg/kg
Solid content (dry matter)	46 % volume
VOC limit value	cat. A (e) SB: 400 g/l
Max. VOC content in the product in its ready to use condition	399 g/l
Max. VOC content in the product in its ready to use condition	399 g/l: EN ISO 11890 part 1: difference method, method 4

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

2-methylpropan-1-ol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC ₅₀		>18.18 mg/l of air	6 hours	Rat (Rattus norvegicus)	F/M

Hydrocarbons, C10 – C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀	OECD 401	>5000 mg/kg bw		Rat (Rattus norvegicus)	
Dermal	LD ₅₀	OECD 402	>2000 mg/kg bw		Rabbit	F/M
Inhalation	LC ₅₀	OECD 403	>5000 mg/m ³ of air	8 hours	Rat (Rattus norvegicus)	

isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		6500 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD ₅₀		>15200 mg/kg		Rabbit	
Inhalation	LC ₅₀		>3.55 mg/l	6 hours	Rat (Rattus norvegicus)	

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

Skin corrosion/irritation

Based on available data the classification criteria are not met. Prolonged or repeated contact with the product causes skin degreasing and drying.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

The ecotoxicity of the mixture has not been tested

Acute toxicity

isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	33 mg/l	96 hours	Fish (Pimephales promelas)	
EC ₅₀	147.8 mg/l	48 hours	Aquatic invertebrates	

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol				
Parameter	Value	Exposure time	Species	Environment
ErC ₅₀	15 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

12.2. Persistence and degradability

Data for mixture not available.

Biodegradability

isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol				
Parameter	Value	Exposure time	Environment	Result
	77 %	27 days		Biodegradable

12.3. Bioaccumulative potential

Data for mixture not available.

12.4. Mobility in soil

The mixture is a liquid insoluble in water, in case of leakage into environment, it may be dispersed over large distances and penetrate into underground water. It contains components with the potential of mobility in soil. When released into the soil may occur due to contamination of groundwater.

isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol	
Parameter	Value
Log K _{oc}	1.5-2.8 mg/kg

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

Waste type code

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

Packaging waste type code

15 01 10* packaging containing residues of or contaminated by hazardous substances

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information**14.1. UN number or ID number**

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

The product is not environmentally hazardous.

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

The chemical safety assessment for hydrocarbons, C10 - C13, n-alkanes, isoalkanes, cyclic <2% aromatics was performed during its registration. The conclusions of the assessment for the use of the substance in coatings are incorporated in this safety data sheet.

More information

The product contains volatile substances with a boiling point above 250°: isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol (ES: 246-771-9).

Content: 10% wt.

Density: 946 kg/m³ / 20 °C**SECTION 16: Other information****A list of standard risk phrases used in the safety data sheet**

EUH066	Repeated exposure may cause skin dryness or cracking.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/eye protection.
P501	Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	Agreement concerning the international carriage of dangerous goods by road
Asp. Tox.	Aspiration hazard
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
Flam. Liq.	Flammable liquid
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail

according to Commission Regulation (EU) 2020/878 as amended

S 1037 LAZUROL® GOLD

Creation date	17th May 2012	Version	6.0
Revision date	01st July 2025		

Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

Commission Regulation (EU) 2020/878 of 18 June 2020. REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 6.0 replaces the SDS version from Monday, 21 June 2021. Changes were made in sections 2, 11, 12, 13, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.