

according to Commission Regulation (EU) 2020/878 as amended

## BALTECH P6404 KEROSENE

Creation date	07th December 2018	Version	2.1
Revision date	12th May 2023		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
Substance / mixture  
Chemical name  
Index number  
EC (EINECS) number  
Registration number
- BALTECH P6404 KEROSENE  
substance  
hydrocarbons, C11 - C14, n-alkanes, isoalkanes, cyclic, <2% aromatics  
649-422-00-2  
926-141-6  
01-2119456620-43
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Substance's intended use**  
Technical liquid determined as a fuel, mainly for lighting in oil lamps.  
**Substance uses advised against**  
This product (customs nomenclature 2710 19 25) must not be used for engine drives.
- 1.3. Details of the supplier of the safety data sheet**  
**Distributor**  
Name or trade name  
Address  
Identification number (CRN)  
VAT Reg No  
Phone  
E-mail  
Web address
- BARVY A LAKY TELURIA, s.r.o.  
č.p.1, Skrchov, 679 61  
Czech Republic  
43420371  
CZ43420371  
+420 516 474 211  
info@teluria.cz  
http://www.bal.cz
- Competent person responsible for the safety data sheet**  
Name  
E-mail
- BARVY A LAKY TELURIA, s.r.o.  
info@teluria.cz
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the substance in accordance with Regulation (EC) No 1272/2008**  
The substance is classified as dangerous.
- Asp. Tox. 1, H304
- Full text of all classifications and hazard statements is given in the section 16.
- Most serious adverse effects on human health and the environment**  
May be fatal if swallowed and enters airways.

according to Commission Regulation (EU) 2020/878 as amended

## BALTECH P6404 KEROSENE

Creation date	07th December 2018	Version	2.1
Revision date	12th May 2023		

### 2.2. Label elements

#### Hazard pictogram



#### Signal word

Danger

#### Dangerous substance

 hydrocarbons, C11 - C14, n-alkanes, isoalkanes, cyclic, <2% aromatics  
 (Index: 649-422-00-2; EC: 926-141-6)

#### Hazard statements

H304 May be fatal if swallowed and enters airways.

#### Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P301+P310	IF SWALLOWED: Immediately call a doctor.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P501	Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.

#### Supplemental information

EUH066	Repeated exposure may cause skin dryness or cracking. Keep lamps filled with this liquid out of the reach of children. Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage.
--------	--

#### Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

### 2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

#### Chemical characterization

The substance specified below.

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-422-00-2 EC: 926-141-6 Registration number: 01-2119456620-43	<b>substance main component</b> hydrocarbons, C11 - C14, n-alkanes, isoalkanes, cyclic, <2% aromatics	100	Asp. Tox. 1, H304 EUH066	

Full text of all classifications and hazard statements is given in the section 16.

according to Commission Regulation (EU) 2020/878 as amended

## BALTECH P6404 KEROSENE

Creation date	07th December 2018	Version	2.1
Revision date	12th May 2023		

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

##### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

##### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

##### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

##### If swallowed

DO NOT INDUCE VOMITING! If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Provide medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### If inhaled

Inhalation of vapors and aerosols may cause irritation of respiratory mucous membranes. Concentrated vapors have a narcotic effect on the central nervous system, nausea, loss of consciousness. In high concentrations it causes asphyxia. The affected person will not realize that they suffocate.

##### If on skin

Prolonged or repeated contact can cause dry skin and irritation.

##### If in eyes

Not expected.

##### If swallowed

In the event of accidental ingestion, it may penetrate the lungs and, due to low viscosity, lead to severe, rapidly developing lung damage. (health check within 48 hours). Ingestion may result in stomach irritation, nausea, vomiting and diarrhea. It can cause decreased activity of the central nervous system.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. Pay attention: contains organic solvents. Ingestion or vomiting may occur due to aspiration into the lungs and then a rapid absorption and damage to other organs. In case of suspected break-liquid ingredients into the lungs get medical help immediately. Get medical supervision for at least 48 hours after ingestion of liquid.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

##### Unsuitable extinguishing media

Water - full jet.

according to Commission Regulation (EU) 2020/878 as amended

## BALTECH P6404 KEROSENE

Creation date	07th December 2018	Version	2.1
Revision date	12th May 2023		

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For workers apart from emergency teams: Avoid inhalation of vapour, prevent skin and eye contact. Wear appropriate protective clothing and gloves. Wear eye protection and face shield if necessary. Use suitable respiratory protection. In closed spaces, ensure fresh air supply. Eliminate all ignition sources. No smoking and no open fire. Keep unnecessary personnel away.

For members of emergency teams: Use appropriate personal protective equipment – protective clothing with antistatic finish and impermeable work shoes. Treat unprotected skin with barrier cream. Anti-chemical protective gloves. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

according to Commission Regulation (EU) 2020/878 as amended

## BALTECH P6404 KEROSENE

Creation date	07th December 2018	Version	2.1
Revision date	12th May 2023		

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### 7.1.1. General health measures

Use the product after due familiarization with its hazard characteristics and proper training or training in its safe use. Do not eat, drink, smoke on the site. Wash your hands and other contaminated parts of body by soap and water before eating and after the use of product is finished. Abide by requirements on personal hygiene when working with hazardous chemical products.

Use technical equipment on the site to control human and environment exposure. Regularly inspect the equipment, ensure cleaning, timely maintenance and permanent functionality. When working, use the recommended personal protective equipment listed in 8.2 of the Safety Data Sheet and in Annex to the Safety Data Sheet. Keep the protective clothing and protective equipment sound and clean. Immediately replace the damaged protective aids for sound ones. Keep the site, tools and aids clean and in sound state. On the site, keep the product in labelled containers or tanks. Store product waste and wastes contaminated by the product in suitable and properly labelled vessels located on designated marked and protected places. Ensure long-term storing of wastes containing the product outside the site.

##### 7.1.2. Fire precautions

When using the product, prevent potential ignition or explosion of the mixture of product vapour and air caused by contact with open flame, sparks, extremely hot surfaces, electrostatic discharges. Do not smoke on the site, use non-sparking tools. Places with increased occurrence of the vapour-air mixture need to be ventilated to prevent formation of explosive mixtures. Solvent vapours are heavier than air. The site should be protected from electrostatic discharges.

##### 7.1.3. Environmental precautions

Handle the product on a site technically adapted to avoid accidental leakage to sewerage systems, water or soil. Product waste and wastes contaminated by the product to be disposed of as hazardous waste. Waste water contaminated by the product may only be discharged to water reservoirs after the product components are properly removed in a waste water treatment plant or in other appropriate treatment plant able to remove drifted product components from water. Do not pour the product to waste water. Emissions of solvent from point sources are subjected to control requirements acc. to air protection regulations.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store the product in properly marked, closed containers in well ventilated spaces at 5 – 25 °C. The storages must meet the requirements on storing of flammable liquids and substances hazardous for aquatic life and soil. Protect from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Store away from oxidising substances and strong acids. Do not store with food, drinks, feed material, medicines. Storages should be protected from static electricity. First aid kit and water suitable for eye rinsing should be available.

#### 7.3. Specific end use(s)

The substance hydrocarbons, C11-C14, n-alkanes, isocyanates, cyclic <2% aromatics was evaluated for use as fuel for industrial and professional use (PROC16) and as a fuel for consumers (PC13). The only dangerous property requiring classification of the substance is Asp. Aspiration hazard. Tox. 1, H304. There are no limits for safe doses or concentrations for substances with this property, so no quantitative risk assessment is performed. The main condition for the safe use of these substances is to prevent their ingestion (drinking). This requirement is applied in the safety data sheet in the classification and labeling of the product in section 2 and other information contained in the safety data sheet.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

according to Commission Regulation (EU) 2020/878 as amended

## BALTECH P6404 KEROSENE

Creation date	07th December 2018	Version	2.1
Revision date	12th May 2023		

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Conditions of safe use of the registered coating composition components specified in this Safety Data Sheet.

#### Eye/face protection

It is not needed.

#### Skin protection

When handling in long-term or repeatedly, use protective gloves. Contaminated skin should be washed thoroughly.

#### Respiratory protection

Don't breathe vapours. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

#### Thermal hazard

Not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	180 - 270 °C
Flammability	data not available
Lower and upper explosion limit	
bottom	0.6 %
upper	7.0 %
Flash point	>64 °C
Auto-ignition temperature	>230 °C
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	<20.5 mm <sup>2</sup> /s at 40 °C
Solubility in water	insoluble
Solubility in fats	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	0,017 kPa at 20 °C
Density and/or relative density	
Density	0.800 - 0.82 g/cm <sup>3</sup> at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available

### 9.2. Other information

Evaporation rate	data not available
Oxidising properties	The product has no oxidizing properties.
Content of organic solvents (VOC)	1.00 kg/kg
Total organic carbon (TOC)	0.85 kg/kg

according to Commission Regulation (EU) 2020/878 as amended

## BALTECH P6404 KEROSENE

Creation date	07th December 2018	Version	2.1
Revision date	12th May 2023		

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The substance is non-flammable.

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance.

##### Acute toxicity

Based on available data the classification criteria are not met.

hydrocarbons, C11 - C14, n-alkanes, isoalkanes, cyclic, <2% aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	>5000 mg/kg bw		Rat (Rattus norvegicus)	
Inhalation (vapor)	LC <sub>50</sub>	OECD 403	>5000 mg/m <sup>3</sup>	8 hours	Rat (Rattus norvegicus)	
Dermal	LD <sub>50</sub>	OECD 402	>5000 mg/kg bw		Rabbit	

##### Skin corrosion/irritation

Based on available data the classification criteria are not met. Repeated exposure may cause skin dryness or cracking.

##### Serious eye damage/irritation

Based on available data the classification criteria are not met.

##### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

##### Germ cell mutagenicity

Based on available data the classification criteria are not met.

##### Carcinogenicity

Based on available data the classification criteria are not met.

##### Reproductive toxicity

Based on available data the classification criteria are not met.

##### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

##### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

according to Commission Regulation (EU) 2020/878 as amended

## BALTECH P6404 KEROSENE

Creation date	07th December 2018	Version	2.1
Revision date	12th May 2023		

### Aspiration hazard

May be fatal if swallowed and enters airways.

### 11.2. Information on other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

hydrocarbons, C11 - C14, n-alkanes, isoalkanes, cyclic, <2% aromatics

Parameter	Method	Value	Exposure time	Species	Environment
LL <sub>50</sub>	OECD 203	>1000 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EL <sub>50</sub>	OECD 202	>1000 mg/l	48 hours	Daphnia (Daphnia magna)	
ErL <sub>50</sub>	OECD 201	>1000 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	

### 12.2. Persistence and degradability

#### Biodegradability

hydrocarbons, C11 - C14, n-alkanes, isoalkanes, cyclic, <2% aromatics

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	69 %	28 days		

The substance is biodegradable.

### 12.3. Bioaccumulative potential

Not available.

### 12.4. Mobility in soil

The substance is UVCB. Standard tests are not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100.

### 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

according to Commission Regulation (EU) 2020/878 as amended

## BALTECH P6404 KEROSENE

Creation date	07th December 2018	Version	2.1
Revision date	12th May 2023		

### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### Waste type code

07 01 04 other organic solvents, washing liquids and mother liquors \*  
13 07 03 other fuels (including mixtures) \*

### Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances \*  
(\* ) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## SECTION 14: Transport information

### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

not available

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### Additional information

The product is dangerous for inland waterways (ADNR / ADN)

UN number: 9003

UN proper shipping name: FLAMMABLE SUBSTANCES MORE THAN 60 ° C AND LESS THAN 100 ° C

Transport hazard class: 9

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

The chemical safety assessment was carried out for the hydrocarbons, C11-C14, n-alkanes, isocyanates, cyclic <2% aromatics during its registration. The conclusions of the assessment for the use of the substance as fuel (except fuels for motor technology) are incorporated in this Safety Data Sheet.

## SECTION 16: Other information

Page 9/11

according to Commission Regulation (EU) 2020/878 as amended

## BALTECH P6404 KEROSENE

Creation date	07th December 2018	Version	2.1
Revision date	12th May 2023		

### A list of standard risk phrases used in the safety data sheet

H304 May be fatal if swallowed and enters airways.

### Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands and exposed parts of the body thoroughly after handling.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P501 Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.

### A list of additional standard phrases used in the safety data sheet

EUH066 Repeated exposure may cause skin dryness or cracking.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EL <sub>50</sub>	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LL <sub>50</sub>	Lethal Loading for 50% of tested organisms
log K <sub>ow</sub>	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail

according to Commission Regulation (EU) 2020/878 as amended

## BALTECH P6404 KEROSENE

Creation date	07th December 2018	Version	2.1
Revision date	12th May 2023		

UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Asp. Tox.	Aspiration hazard

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

This product (customs nomenclature 2710 19 25) must not be used for engine drives.

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 2.1 replaces the SDS version from 21 March 2022. Changes were made in sections 1, 2, 11, 12, 15 and 16.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.