

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BARLET AKRYLÁT UNIVERZÁLNÍ PENETRACE, REMAL UNIVERZÁLNÍ PENETRACE

Creation date	16th January 2019	Version	3.0
Revision date	20th April 2023		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** BARLET AKRYLÁT UNIVERZÁLNÍ PENETRACE, REMAL UNIVERZÁLNÍ PENETRACE
- Substance / mixture mixture
- Other mixture names  
PENETRATING COATINGS
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
- Mixture's intended use**  
Coatings for plaster penetration.
- Main intended use**  
PC-CON-5 Construction chemicals
- Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
- Manufacturer**
- |                             |   |
|-----------------------------|---|
| Name or trade name          | BARVY A LAKY TELURIA, s.r.o.              |
| Address                     | č.p. 1, Skrchov, 679 61<br>Czech Republic |
| Identification number (CRN) | 43420371                                  |
| VAT Reg No                  | CZ43420371                                |
| Phone                       | +420 516 474 211                          |
| E-mail                      | info@teluria.cz                           |
| Web address                 | http://www.bal.cz                         |
- Competent person responsible for the safety data sheet**
- |        |                               |
|--------|-------------------------------|
| Name   | Ing. Markéta Chalupová, Ph.D. |
| E-mail | marketa.chalupova@teluria.cz  |
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
- Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.
- Full text of all classifications and hazard statements is given in the section 16.
- Most serious adverse effects on human health and the environment**  
May cause an allergic reaction.
- 2.2. Label elements**
- Supplemental information**  
EUH208 Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BARLET AKRYLÁT UNIVERZÁLNÍ PENETRACE, REMAL UNIVERZÁLNÍ PENETRACE

Creation date	16th January 2019	Version	3.0
Revision date	20th April 2023		

Density	1.05 g/cm <sup>3</sup> at 20 °C
VOC	12 g/l Barlet, 7 g/l Remal
VOC limit value	cat. A (h) WB: 30 g/l

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 613-167-00-5 CAS: 55965-84-9	reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2 -methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)	<0,002	Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH071 Specific concentration limit: Eye Irrit. 2, H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A, H317: C ≥ 0.0015 % Skin Irrit. 2, H315: 0.06 % ≤ C < 0.6 % Skin Corr. 1C, H314: C ≥ 0.6 % Eye Dam. 1, H318: C ≥ 0.6 %	1

#### Notes

- Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BARLET AKRYLÁT UNIVERZÁLNÍ PENETRACE, REMAL UNIVERZÁLNÍ PENETRACE

Creation date	16th January 2019	Version	3.0
Revision date	20th April 2023		

**If on skin**

Remove contaminated clothes.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

**If swallowed**

Rinse out the mouth with clean water. In the event of issues, find medical help.

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

Not expected.

**If on skin**

May cause an allergic skin reaction.

**If in eyes**

Not expected.

**If swallowed**

Not expected.

**4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Accommodate extinguishing components to the location of fire.

**Unsuitable extinguishing media**

not available

**5.2. Special hazards arising from the substance or mixture**

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

**5.3. Advice for firefighters**

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Follow the instructions in the Sections 7 and 8.

**6.2. Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.

**6.3. Methods and material for containment and cleaning up**

After removal of the product, wash the contaminated site with plenty of water.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BARLET AKRYLÁT UNIVERZÁLNÍ PENETRACE, REMAL UNIVERZÁLNÍ PENETRACE

Creation date	16th January 2019	Version	3.0
Revision date	20th April 2023		

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Storage temperature min 5 °C, max 40 °C

#### 7.3. Specific end use(s)

Coatings for plaster penetration.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

##### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

##### Skin protection

When handling in long-term or repeatedly, use protective gloves.

##### Respiratory protection

It is not needed. When aerosol formation aerosol respirator.

##### Thermal hazard

Not available.

##### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	milky colored
Odour	without fragrance
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	100 °C
Flammability	The product is non-flammable.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	7-9 (undiluted)
Kinematic viscosity	>20.5 mm <sup>2</sup> /s at 40 °C
Solubility in water	miscible
Solubility in fats	insoluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1.05 g/cm <sup>3</sup> at 20 °C

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BARLET AKRYLÁT UNIVERZÁLNÍ PENETRACE, REMAL UNIVERZÁLNÍ PENETRACE

Creation date	16th January 2019	Version	3.0
Revision date	20th April 2023		

Relative vapour density

data not available

Particle characteristics

data not available

Form

liquid

### 9.2. Other information

Evaporation rate

data not available

Explosive properties

The product does not have explosive properties.

Content of organic solvents (VOC)

12 g/l Barlet, 7 g/l Remal

VOC limit value

cat. A (h) WB: 30 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met. The mixture contains BIT, CMIT, MIT that are skin sensitizing in the lower limit. H317 However, these effects do not justify classification.

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BARLET AKRYLÁT UNIVERZÁLNÍ PENETRACE, REMAL UNIVERZÁLNÍ PENETRACE

Creation date	16th January 2019	Version	3.0
Revision date	20th April 2023		

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

not available

## SECTION 12: Ecological information

### 12.1. Toxicity

No information available for the mixture. The mixture should not be allowed to enter soil, water and sewage sources.

#### More information

Avoid release to the environment.

### 12.2. Persistence and degradability

The mixture is biodegradable.

### 12.3. Bioaccumulative potential

Insignificant.

### 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BARLET AKRYLÁT UNIVERZÁLNÍ PENETRACE, REMAL UNIVERZÁLNÍ PENETRACE

Creation date	16th January 2019	Version	3.0
Revision date	20th April 2023		

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

#### Packaging waste type code

15 01 02 plastic packaging

## SECTION 14: Transport information

### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

Not worked out.

# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BARLET AKRYLÁT UNIVERZÁLNÍ PENETRACE, REMAL UNIVERZÁLNÍ PENETRACE

Creation date	16th January 2019	Version	3.0
Revision date	20th April 2023		

### SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H310+H330	Fatal in contact with skin or if inhaled.

#### A list of additional standard phrases used in the safety data sheet

EUH208	Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
EUH071	Corrosive to the respiratory tract.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## BARLET AKRYLÁT UNIVERZÁLNÍ PENETRACE, REMAL UNIVERZÁLNÍ PENETRACE

Creation date	16th January 2019	Version	3.0
Revision date	20th April 2023		

UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from 20 September 2022. Changes were made in sections 1, 2, 12, 15 and 16.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.