

according to Commission Regulation (EU) 2020/878 as amended

REMAL® PENETRACE HLOUBKOVÁ PROTIPLÍSŇOVÁ V1311

Creation date 20th November 2018

Revision date 28th February 2024 Version 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

REMAL® PENETRACE HLOUBKOVÁ PROTIPLÍSŇOVÁ V1311 **Product identifier**

Substance / mixture mixture

Other mixture names

ANTI-FUNGAL PRIMER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Water-dilutable penetration for plaster.

Main intended use

PC-CON-5 Construction chemicals

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name BARVY A LAKY TELURIA, s.r.o.

Address č.p. 1, Skrchov, 679 61

Czech Republic

Identification number (CRN) 43420371 VAT Reg No C743420371 Phone +420 516 474 211 F-mail info@teluria.cz

Web address http://www.bal.cz Competent person responsible for the safety data sheet

Ing. Markéta Chalupová, Ph.D. E-mail marketa.chalupova@teluria.cz

1.4. **Emergency telephone number**

European emergency number: 112

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Most serious adverse effects on human health and the environment

May cause an allergic reaction.

Label elements 2.2.

none

Supplemental information

EUH208 Contains 3-iodo-2-propynyl butylcarbamate, 1,3,5-tris(2-hydroxyethyl)hexahydro-

1,3,5-triazine, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.



according to Commission Regulation (EU) 2020/878 as amended

REMAL® PENETRACE HLOUBKOVÁ PROTIPLÍSŇOVÁ V1311

Creation date 20th November 2018

Revision date 28th February 2024 Version 3.1

Density $1-1.09 \text{ g/cm}^3 \text{ at } 20 \text{ °C}$ Dry matter 7-9 % volume VOC limit value cat. A (h) WB: 30 g/l Max. VOC content in the product in its ready to use

condition 0,3 g/l

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 616-212-00-7 CAS: 55406-53-6 EC: 259-627-5	3-iodo-2-propynyl butylcarbamate	0,12	Acute Tox. 4, H302 Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 3, H331 STOT RE 1, H372 (larynx) Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
Index: 613-114-00-6 CAS: 4719-04-4 EC: 225-208-0	1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine	0,06	Acute Tox. 4, H302 Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1, H317: C ≥ 0.1 %	
Index: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9	1,2-benzisothiazol-3(2H)-one	<0,01	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) Specific concentration limit: Skin Sens. 1A, H317: C ≥ 0.036 % ATE Inhalation (dust/mist) = 0,21 mg/l ATE Oral = 450 mg/kg bw	
Index: 603-030-00-8 CAS: 141-43-5 EC: 205-483-3	2-aminoethanol	0,002	Acute Tox. 4, H302, H312, H332 Skin Corr. 1B, H314 Specific concentration limit: STOT SE 3, H335: $C \ge 5$ %	1

Notes

A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

Page 2/9



according to Commission Regulation (EU) 2020/878 as amended

REMAL® PENETRACE HLOUBKOVÁ PROTIPLÍSŇOVÁ V1311

Creation date 20th November 2018

Revision date 28th February 2024 Version 3.1

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

May cause an allergic skin reaction.

If in eyes

Not expected.

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

Unsuitable extinguishing media

not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

Page

3/9



according to Commission Regulation (EU) 2020/878 as amended

REMAL® PENETRACE HLOUBKOVÁ PROTIPLÍSŇOVÁ V1311

Creation date 20th November 2018

Revision date 28th February 2024 Version 3.1

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Storage temperature

min 5 °C, max 40 °C

The specific requirements or rules relating to the substance/mixture

Do not store together with food, drink and animal feed.

7.3. Specific end use(s)

Water-dilutable penetration for plaster.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2006/15/EC

Substance name (component)	Туре	Value	Note
	OEL 8 hours	2,5 mg/m ³	
	OEL 8 hours	1 ppm	
2-aminoethanol (CAS: 141-43-5)	OEL 15 minutes	7,6 mg/m ³	Skin
	OEL 15 minutes	3 ppm	

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

When handling in long-term or repeatedly, use protective gloves.

Respiratory protection

It is not needed. When aerosol formation aerosol respirator.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid Colour yellow

Odour without fragrance

Page 4/9

3.1



SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

REMAL® PENETRACE HLOUBKOVÁ PROTIPLÍSŇOVÁ V1311

Version

Creation date 20th November 2018 Revision date 28th February 2024

> Melting point/freezing point 0 °C

Boiling point or initial boiling point and boiling range 100 °C

Flammability The product is non-flammable. Lower and upper explosion limit data not available

Flash point data not available Auto-ignition temperature data not available Decomposition temperature data not available

8.13 (undiluted) Kinematic viscosity >20.5 mm²/s at 40 °C

Solubility in water miscible

Solubility in fats insoluble Partition coefficient n-octanol/water (log value) data not available

Vapour pressure data not available

Density and/or relative density Density 1-1.09 g/cm3 at 20 °C

Relative vapour density data not available data not available Particle characteristics Form liquid

9.2. Other information

> Evaporation rate data not available

Explosive properties The product does not have explosive properties.

7 - 9 % volume Solid content (dry matter) VOC limit value cat. A (h) WB: 30 g/l

Max. VOC content in the product in its ready to use $0.3 \, g/I$

condition

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.



according to Commission Regulation (EU) 2020/878 as amended

REMAL® PENETRACE HLOUBKOVÁ PROTIPLÍSŇOVÁ V1311

Creation date 20th November 2018

Revision date 28th February 2024 Version 3.1

Acute toxicity

Based on available data the classification criteria are not met.

1,2-benzisothiazol-3(2H)-one					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation (dust/mist)	ATE	0.21 mg/l			
Oral	ATE	450 mg/kg bw			

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met. The mixture contains sub-limit amounts of 3-jód-2-propinyl-N-butylkarbamát, BIT, CMIT, MIT, which may sensitize the skin. May cause an allergic reaction. These effects are not grounds for classification.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

No information available for the mixture. The mixture should not be allowed to enter soil, water and sewage sources.

More information

Avoid release to the environment.

Page

6/9



according to Commission Regulation (EU) 2020/878 as amended

REMAL® PENETRACE HLOUBKOVÁ PROTIPLÍSŇOVÁ V1311

Creation date 20th November 2018

Revision date 28th February 2024 Version 3.1

12.2. Persistence and degradability

The mixture is biodegradable.

12.3. Bioaccumulative potential

Insignificant.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

08 01 12 $\,$ waste paint and varnish other than those mentioned in 08 01 11 $\,$

Packaging waste type code

15 01 02 plastic packaging

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

The product is not environmentally hazardous.

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Page 7/9



according to Commission Regulation (EU) 2020/878 as amended

REMAL® PENETRACE HLOUBKOVÁ PROTIPLÍSŇOVÁ V1311

Creation date 20th November 2018

Revision date 28th February 2024 Version 3.1

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

Not worked out.

SECTION 16: Other information

A list of standard	risk phrases	used in the	safety data	sheet

H302	Harmful if swallowed.
H312	Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.
H331 Toxic if inhaled.
H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H372 Causes damage to larynx through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

A list of additional standard phrases used in the safety data sheet

EUH208 Contains 3-iodo-2-propynyl butylcarbamate, 1,3,5-tris(2-hydroxyethyl)hexahydro-1,3,5-triazine, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

Page 8/9



according to Commission Regulation (EU) 2020/878 as amended

REMAL® PENETRACE HLOUBKOVÁ PROTIPLÍSŇOVÁ V1311

Creation date 20th November 2018 Revision date 28th February 2024

ebruary 2024 Version 3.1

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

log Kow Octanol-water partition coefficient
OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam. Serious eye damage Skin Corr. Skin corrosion Skin Sens. Skin sensitization

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 3.1 replaces the SDS version from 20 April 2023. Changes were made in sections 1, 2, 11 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

Page 9/9