

TELHARD POX F

Creation date 05th August 2016

Revision date 06th September 2022 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

..1. Product identifier TELHARD POX F

Substance / mixture mixture

UFI 0G5W-70V8-P00U-T31A

Other mixture names

HARDENER FOR EPOXY PAINTS TELPOX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Hardener for two-component epoxy paints.

Main intended use

PC-PNT-OTH Other paints and coating materials

Mixture uses advised against

not available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name BARVY A LAKY TELURIA,s.r.o. Address č.p.1, Skrchov, 679 61

Czech Republic

Identification number (CRN)43420371VAT Reg NoCZ43420371Phone+420 516 474 211E-mailinfo@teluria.czWeb addresshttp://www.bal.cz

Competent person responsible for the safety data sheet

Name BARVY A LAKY TELURIA, s.r.o.

E-mail info@teluria.cz

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Acute Tox. 4, H302+H332 Skin Corr. 1B, H314 Skin Sens. 1, H317 Eye Dam. 1, H318 Repr. 2, H361d Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes serious eye damage. May cause an allergic skin reaction. Causes severe skin burns and eye damage. Suspected of damaging the unborn child. Harmful if swallowed or if inhaled. Toxic to aquatic life with long lasting effects.



TELHARD POX F

Creation date 05th August 2016 Revision date 06th September 2022

Version 2.0

2.2. Label elements

Hazard pictogram









Signal word

Danger

Hazardous substances

reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine

benzyl alcohol

m-Phenylenebis(methylamine)

salicylic acid

Hazard statements

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H361d Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.

H302+H332 Harmful if swallowed or if inhaled.

Precautionary statements

P261 Avoid breathing vapours.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a doctor.

Supplemental information

EUH071 Corrosive to the respiratory tract.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Substances are neither listed in Annex XIV of REACH nor on the REACH candidate list of substances of very high concern (SVHC).



according to Regulation (EC) No 1907/2006 (REACH) as amended

TELHARD POX F

Creation date 05th August 2016
Revision date 06th September 2022 Version 2.0

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Adduct of cycloaliphatic amine and low molecular weight epoxy resin.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 9046-10-0 Registration number: 01-2119557899-12	reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	30-60	Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411	
CAS: 38294-64-3 EC: 500-101-4 Registration number: 02-2119668117-34	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine	20-50	Skin Corr. 1B, H314 Skin Sens. 1, H317	
Index: 603-057-00-5 CAS: 100-51-6 EC: 202-859-9 Registration number: 01-2119492630-38	benzyl alcohol	5-25	Acute Tox. 4, H302+H332 Eye Irrit. 2, H319	
CAS: 1477-55-0 EC: 216-032-5 Registration number: 01-2119480150-50	m-Phenylenebis(methylamine)	5-15	Acute Tox. 4, H302 Skin Corr. 1B, H314 Skin Sens. 1, H317 Acute Tox. 3, H331 Aquatic Chronic 3, H412 EUH071	
Index: 607-732-00-5 CAS: 69-72-7 EC: 200-712-3 Registration number: 01-2119486984-17	salicylic acid	<10	Acute Tox. 4, H302 Eye Dam. 1, H318 Repr. 2, H361d	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

Page 3/15



	according to Regulation (EC) N	No 1907/2006 (REACH)	as amended				
	TELHARD POX F						
Creation date Revision date	05th August 2016 06th September 2022	Version	2.0				

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING - there is danger of further damage to the gastrointestinal tract!!! Danger of esophageal and gastric perforation! RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system. Cough, headache.

If on skin

Causes severe skin burns. May cause an allergic skin reaction.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment. If you see a doctor, take this safety data sheet with you.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.



	according to Regulation (EC) N	lo 1907/2006 (REACH)	as amended				
	TELHARD POX F						
Creation date	05th August 2016						
Revision date	06th September 2022	Version	2.0				

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For workers apart from emergency teams: Avoid inhalation of vapour, prevent skin and eye contact. Wear appropriate protective clothing and gloves. Wear eye protection and face shield if necessary. Use suitable respiratory protection. In closed spaces, ensure fresh air supply. Eliminate all ignition sources. No smoking and no open fire. Keep unnecessary personnel away.

For members of emergency teams: Use appropriate personal protective equipment – protective clothing with antistatic finish and impermeable work shoes. Treat unprotected skin with barrier cream. Anti-chemical protective gloves. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water. If possible prevent leakage, close container and place damaged container in protective container.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.



	according to Regulation (EC) N	No 1907/2006 (REACH)	as amended			
TELHARD POX F						
Creation date	05th August 2016					
Revision date	06th September 2022	Version	2.0			

SECTION 7: Handling and storage

Precautions for safe handling

7.1.1. General health measures

Use the product after due familiarization with its hazard characteristics and proper training or training in its safe use. Do not eat, drink, smoke on the site. Wash your hands and other contaminated parts of body by soap and water before eating and after the use of product is finished. Abide by requirements on personal hygiene when working with hazardous chemical products.

Use technical equipment on the site to control human and environment exposure. Regularly inspect the equipment, ensure cleaning, timely maintenance and permanent functionality. When working, use the recommended personal protective equipment listed in 8.2 of the Safety Data Sheet and in Annex to the Safety Data Sheet. Keep the protective clothing and protective equipment sound and clean. Immediately replace the damaged protective aids for sound ones. Keep the site, tools and aids clean and in sound state. On the site, keep the product in labelled containers or tanks. Store product waste and wastes contaminated by the product in suitable and properly labelled vessels located on designated marked and protected places. Ensure long-term storing of wastes containing the product outside the site.

7.1.2. Fire precautions

When using the product, prevent potential ignition or explosion of the mixture of product vapour and air caused by contact with open flame, sparks, extremely hot surfaces, electrostatic discharges. Do not smoke on the site, use nonsparking tools. Places with increased occurrence of the vapour-air mixture need to be ventilated to prevent formation of explosive mixtures. Solvent vapours are heavier than air. The site should be protected from electrostatic discharges.

7.1.3. Environmental precautions

Handle the product on a site technically adapted to avoid accidental leakage to sewerage systems, water or soil. Product waste and wastes contaminated by the product to be disposed of as hazardous waste. Waste water contaminated by the product may only be discharged to water reservoirs after the product components are properly removed in a waste water treatment plant or in other appropriate treatment plant able to remove drifted product components from water. Do not pour the product to waste water. Emissions of solvent from point sources are subjected to control requirements acc. to air protection regulations.

7.2. Conditions for safe storage, including any incompatibilities

Store the product in properly marked, closed containers in well ventilated spaces at 5 - 25 °C. The storages must meet the requirements on storing of flammable liquids and substances hazardous for aquatic life and soil. Protect from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking. Store away from oxidising substances and strong acids. Do not store with food, drinks, feed material, medicines. Storages should be protected from static electricity. First aid kit and water suitable for eye rinsing should be available. Keep away from products that are corrosive to metals (eg acids or pool chemicals).

Storage class 8B - Non-combustible corrosive substances min 5 °C, max 25 °C

Storage temperature

SECTION 8: Exposure controls/personal protection

7.3. Specific end use(s)

not available

8.1. **Control parameters**

The mixture contains substances for which occupational exposure limits are set.

DNEL

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3aminomethyl-3,5,5-trimethylcyclohexylamine

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	0.493 mg/m ³	Systemic chronic effects		

Page 6/15



TELHARD POX F

Creation date 05th August 2016 Revision date 06th September 20

06th September 2022 Version 2.0

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	0.007 mg/m ³	Systemic acute effects		
Consumers	Inhalation	0.074 mg/m ³	Systemic chronic effects		
Consumers	Inhalation	0.001 mg/m ³	Systemic acute effects		
Workers	Dermal	0.14 mg/kg bw/day	Systemic chronic effects		
Consumers	Dermal	0.05 mg/kg bw/day	Systemic chronic effects		
Consumers	Oral	0.05 mg/kg bw/day	Systemic chronic effects		
Consumers	Oral	0.99 mg/kg bw/day	Systemic acute effects		

benzyl alcohol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	22 mg/m ³	Systemic chronic effects		
Workers	Inhalation	110 mg/m ³	Systemic acute effects		
Consumers	Inhalation	5.4 mg/m ³	Systemic chronic effects		
Consumers	Inhalation	27 mg/m ³	Systemic acute effects		
Workers	Dermal	8 mg/kg bw/day	Systemic chronic effects		
Workers	Dermal	40 mg/kg bw/day	Systemic acute effects		
Consumers	Dermal	4 mg/kg bw/day	Systemic chronic effects		
Consumers	Dermal	20 mg/kg bw/day	Systemic acute effects		
Consumers	Oral	4 mg/kg bw/day	Systemic chronic effects		
Consumers	Oral	20 mg/kg bw/day	Systemic acute effects		

m-Phenylenebis(methylamine)

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	1.2 mg/m ³	Systemic chronic effects		
Workers	Inhalation	0.2 mg/m ³	Local chronic effects		
Workers	Dermal	0.33 mg/kg bw/day	Systemic chronic effects		



according to Regulation (EC) No 1907/2006 (REACH) as amended

TELHARD POX F

Creation date 05th August 2016
Revision date 06th September 2022 Version 2.0

salicylic acid

eaneyne aera					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	5 mg/m ³	Systemic chronic effects		
Workers	Inhalation	5 mg/m ³	Local chronic effects		
Consumers	Inhalation	4 mg/m ³	Systemic chronic effects		
Consumers	Dermal	1 mg/kg bw/day	Systemic chronic effects		
Consumers	Oral	1 mg/kg bw/day	Systemic chronic effects		
Consumers	Oral	4 mg/kg bw/day	Systemic acute effects		
Workers		2.3 mg/kg bw/day	Systemic chronic effects		

PNEC

benzyl alcohol

Route of exposure	Value	Value determination	Source
Freshwater environment	1 mg/l		
Seawater	0.1 mg/l		
Water (intermittent release)	2.3 mg/l		
Freshwater sediment	5.27 mg/kg of dry substance of sediment		
Sea sediments	0.527 mg/kg of dry substance of sediment		
Soil (agricultural)	0.456 mg/kg of dry substance of soil		
Microorganisms in wastewater treatment plants	39 mg/l		

m-Phenylenebis(methylamine)

Route of exposure	Value	Value determination	Source
Freshwater environment	94 μg/l		
Seawater	9.4 μg/l		
Water (intermittent release)	152 μg/l		
Freshwater sediment	12.4 mg/kg of dry substance of sediment		
Sea sediments	1.24 mg/kg of dry substance of sediment		
Soil (agricultural)	2.44 mg/kg of dry substance of soil		
Microorganisms in wastewater treatment plants	10 mg/l		

Page 8/15



	according to Regulation (EC) N	No 1907/2006 (REACH) a	as amended				
	TELHARD POX F						
Creation date	05th August 2016						
Revision date	06th September 2022	Version	2.0				

salicylic acid

•			
Route of exposure	Value	Value determination	Source
Freshwater environment	0.2 mg/l		
Seawater	0.02 mg/l		
Water (intermittent release)	1 mg/l		
Freshwater sediment	1.42 mg/kg of dry substance of sediment		
Sea sediments	0.142 mg/kg of dry substance of sediment		
Soil (agricultural)	0.166 mg/kg of dry substance of soil		
Microorganisms in wastewater treatment plants	162 mg/l		

8.2. Exposure controls

Conditions of safe use of the registered product composition components specified in exposure scenarios to Safety Data Sheets of the components are given in Annex of the SDS, including the required additional measures restricting the exposure – see the exposure scenarios for the intended uses of the product.

General safety and hygienic measures. When working, do not eat, drink, smoke. Before the break and after the work, hands should be washed with soap and hot water, treated with barrier cream. Overall and local ventilation, effective extraction.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Skin protection: Protective clothes with antistatic finish, protective shoes; treat unprotected skin with barrier cream. Hand protection: Chemical resistant protective gloves (EN 374-1:2003). Suitable material – nitrile rubber (0.4 mm), polyvinyl chloride (0.7 mm) and others, time of penetration corresponding to > 480 minutes. The time of penetration specified by the manufacturer should be followed and the glove replaced after expiration. If damaged, the gloves should be replaced immediately.

The selection of suitable protective gloves does not only depend on their material, but also on other qualitative features. Furthermore, since the mixture can be used for various purposes, mixed with other substances, the suitability of gloves for all purposes cannot be predetermined and must be verified in particular use.

Respiratory protection

Don't breathe vapours. For short-time exposure or low concentration, use respirator with organic vapour and dust filter (protection level A/P2); for high concentration and long-term exposure, self-contained respirator is necessary.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Ensure that containers are properly closed during storage, handling and transport. Secure storage areas against possible leakage of product into the environment (sewerage, water, soil - see 6.2). Do not flush product into drains or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid

Colour colourless, yellowish

Odour pungent

Page 9/15



TELHARD POX F

Creation date 05th August 2016 Revision date 06th September 2022

Version 2.0

Melting point/freezing point

Boiling point or initial boiling point and boiling range

Flammability

Lower and upper explosion limit

Flash point

Auto-ignition temperature Decomposition temperature

рΗ

Kinematic viscosity Solubility in water

Partition coefficient n-octanol/water (log value)

Vapour pressure

Density and/or relative density

Density

9.2. Other information

Oxidising properties

Explosive properties

Content of organic solvents (VOC) Total organic carbon (TOC) Solid content (dry matter) data not available

>200 °C

The product is non-flammable.

data not available

130 °C

data not available
data not available
11,3 (undiluted)
>20,5 mm²/s at 40 °C
data not available
data not available

data not available

0,95-1,05 g/cm3 at 23 °C (EN ISO 2811-1)

The product has no oxidizing properties.

The product does not have explosive properties.

0,22 kg/kg 0,17 kg/kg 78 % volume

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.



TELHARD POX F

Creation date 05th August 2016

Revision date 06th September 2022 Version 2.0

Acute toxicity

Harmful if swallowed or if inhaled.

benzyl alcohol

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation (dust/mist)	LC50	4.178 mg/l of air	4 hour	Rat (Rattus norvegicus)	
Dermal	LD50	2000 mg/kg bw		Rabbit	
Oral	LD ₅₀	1230 mg/kg bw		Rat (Rattus norvegicus)	

m-Phenylenebis(methylamine)

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	930 mg/kg bw		Rat (Rattus norvegicus)	
Dermal	LD ₅₀	3100 mg/kg bw		Rat (Rattus norvegicus)	
Inhalation (dust/mist)	LC50	1.34 mg/l	4 hour	Rat (Rattus norvegicus)	

salicylic acid

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	891 mg/kg bw		Rat (Rattus norvegicus)	

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage. Causes severe skin burns and eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction. Corrosive to the respiratory tract.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Suspected of damaging the unborn child.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.



	according to Regulation (EC) N	No 1907/2006 (REACH) a	as amended		
TELHARD POX F					
Creation date	05th August 2016				
Revision date	06th September 2022	Version	2.0		

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Toxic to aquatic life with long lasting effects.

m-Phenylenebis(methylamine)

Parameter	Value	Exposure time	Species	Environment
LOEC	15 mg/l		Aquatic invertebrates	
NOEC	4.7 mg/l		Aquatic invertebrates	

12.2. Persistence and degradability

Biodegradability

reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

Parameter	Value	Exposure time	Environment	Result
				Not biodegradable

Data for mixture not available.

12.3. Bioaccumulative potential

Data for mixture not available.

12.4. Mobility in soil

Data for mixture not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

08 04 09 waste adhesives and sealants containing organic solvents or other hazardous substances *

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

Page 12/15



TELHARD POX F

Creation date 05th August 2016

Revision date 06th September 2022 Version 2.0

SECTION 14: Transport information

14.1. UN number or ID number

UN 2735

14.2. UN proper shipping name

AMINES, LIQUID, CORROSIVE, N.O.S. (mixture of polyamines)

14.3. Transport hazard class(es)

3 Corrosive substances

14.4. Packing group

III - substances presenting low danger

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.

UN number

Classification code

Safety signs



8+hazardous for the environment



Air transport - ICAO/IATA

Packaging instructions passenger 852 Cargo packaging instructions 856

Marine transport - IMDG

EmS (emergency plan) F-A, S-B MFAG 320

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

Page 13/15



TELHARD POX F

Creation date 05th August 2016 Revision date 06th September 20

06th September 2022 Version 2.0

A list of standard risk phrases used in the safety data sheet

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H361d Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

H302+H332 Harmful if swallowed or if inhaled. Guidelines for safe handling used in the safety data sheet

P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.
P273 Avoid release to the environment.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P261 Avoid breathing vapours.

A list of additional standard phrases used in the safety data sheet

EUH071 Corrosive to the respiratory tract.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

DNEL Derived no-effect level

EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan

ES Identification code for each substance listed in EINECS

EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry



TELHARD POX F

Creation date 05th August 2016

Revision date 06th September 2022 Version 2.0

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution from Ships

NOEC No observed effect concentration
OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam. Serious eye damage

Eye Irrit. Eye irritation

Repr. Reproductive toxicity
Skin Corr. Skin corrosion
Skin Sens. Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

Commission Regulation (EU) 2020/878 of 18 June 2020. REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 2.0 replaces the SDS version from 5.8.2016. Overall revision of SDS according to Commission Regulation (EU) 2020/878. Change of classification.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

Page 15/15